



ROCHOLZ
SHOP & CONTRACT FURNISHING

SHOP & CONTRACT FURNISHING

Wrapping paper dispensers for quick and secure packaging. First-class table frames, height-adjustable on request. Tailor-made solutions for offices, retail shops, catering and commercial use.




Dear customers
and sales partners,
The new catalogue
is here!



ROCHOLZ
SHOP & CONTRACT FURNISHING

Content



10 We have the perfect roll dispenser to enhance your work efficiency – tailored to your material and requirements. Our three product lines in different designs include the ideal solution for every application – from paper and film to decorative nonwovens or other roll materials.

06

OUR COMPANY

08

Ergonomics in the workplace

10

ROLL DISPENSERS

12

Selection guide

14

VARIO

24

STANDARD

30

ZAC

36

Accessories



Contract manufacturing Request our brochure about custom solutions in metal.

38

TABLE FRAMES

40

Column frames

- Selection guide
- with round base plate
- with square base plate
- with ovale base plate
- Eco frames
- socket outlet mounting

68

Accessories for column frames

- foot plates
- weight plates

74

Desk frames

- Selection guide
- with side runners

80

Frame racks

- Selection guide
- round upright tube
- square upright tube
- with screw connection



We have 80 employees working at our 9,440m² company premises in Velbert.



38 Single and multi-column coffee table, desk and high table frames for both wooden and glass table tops, XXL frames for oversized table tops in various shapes and stainless steel frames. Our range not only includes electrically height-adjustable desk frames, but also height-adjustable frames with gas struts and frame racks.

 **QUALITY
MADE
IN GERMANY**

88
GTCs

90
Imprint

MARC ROCHOLZ

MANAGING DIRECTOR



RALPH ROTH

MANAGING DIRECTOR





We are delighted to present our brand new table frame and wrapping paper dispenser catalogue to you!

Whether you use our products for retail, catering or contract furnishing applications. Our high-quality table frames (which can also be customised on request) at standing or seated height form the perfect basis for every table (and every meeting). The new Eco high table frames (p. 76) offer full functionality at an attractive price, and their concealed feet compensate for floor surface unevenness. Discover the new Connect high table frames (p. 77) that are equipped for integrated and retractable power strips and have a cable outlet in the base plate. They're perfect for use at trade fairs, conferences or in meeting rooms. We even have robust solutions in custom dimensions or for special applications.

Our user-friendly on-table, under-table and wall roll dispensers blend into any retail setting and can also be used as practical mobile dispensers. All three product lines have comprehensive ranges of accessories, e.g. for gift ribbons. They also facilitate fast and simple roll changes and efficient processes. Retail environments such as florists, bakeries or perfumeries need safe and user-friendly wrapping paper dispensers for the fast, safe and stress-free decorative wrapping of merchandise. Our three product lines VARIO (p. 14), STANDARD (p. 24) and ZAC (p. 30) help you to achieve clean, safe and reliable results with various decorative papers, films or nonwovens.

As your dependable partner, we are committed to meeting your requirements. Not only do we offer high quality products and fast deliveries, you can also talk to us about your specific needs.

Have fun browsing and discovering!

Ergonomics for all areas of life

Ergonomy has traditionally been associated with industrial workstations. Today it affects all areas of life and work that involve people regularly sitting, standing, working or designing at tables. In offices, restaurants, showrooms and private homes, thoughtfully designed tables that are tailored to the users' needs make a significant contribution to well-being, health and, last but not least, room functionality.

Our table frames take all these versatile applications into account by being stable, flexibly configurable and designed to last. Height-adjustable desk frames, for example, make it possible to switch between sitting

and standing positions and thus promote a healthy posture – especially when people spend many hours in front of a screen. However, rigid frames can also incorporate ergonomic design features such as sufficient legroom, comfortable table heights and harmoniously integration into different usage contexts.

In the catering industry in particular, factors such as convenience, flexibility and fast cleaning are just as important as stability. Our frames provide the basis for convenient table solutions that are appreciated by guests and employees alike – in everyday business and at events with changing requirements. Even in private



ERGONOMICS



spaces, such as the dining room, home office or hobby room, correct height, convenient freedom of movement and a high-quality design are important. In these places the table is the centre of social and creative activities – so it should have an appropriate ergonomic design.

Ergonomic considerations are also incorporated into our wrapping paper and ribbon dispensers. They are designed for ease of use and functionality, and they provide practical workflow support. In retail environments, in showrooms and in creative workshops, they ensure efficient and clean processes that reduce physical stress. Flexible tear-off rails enable precise cutting, single-hand operation simplifies everyday handling and thoughtfully designed accessories, e.g. for ribbon, labels or adhesive tape, keep everything tidy and avoid unnecessary movements.

An ergonomically-designed environment often works in a subtle way, but has measurable impacts. For example, people who are comfortable when they work can concentrate better, move more naturally and tire less quickly. Ergonomics therefore add genuine value – not only for health, but also by improving the atmosphere a room conveys.

Regardless of whether you are looking for a functional business solution or a well thought-out furnishing concept for a private home, we'll be happy to advise you on the selection of suitable table frames and dispenser systems that ideally suit your environment in terms of form, function and ergonomics.







01

Dispensers -
for wrapping paper
& ribbon



Which dispenser do I need?

Finish	 RAL 7035 smooth matt	 RAL 9005 smooth matt	 Chrome-plated (high-gloss)
Material	 Paper, wrapping paper, packing paper etc.	 Film, transparent film, florist film, etc.	 Nonwoven, silk paper etc.
Material separation	 Smooth tear-off edge	 Serrated tear-off edge	 Smooth cutting system
Mounting type*	 Table	 Under-table	 Vertical
	 Wall	 Attachment**	 Frame
Roll width in mm			

* Exemplary illustration of STANDARD.

** Dispenser attachment for horizontal frames.

Wrapping paper dispenser

Efficient packaging made easy

Our range of paper and film dispensers for the retail, shipping and professional packaging sector includes the perfect solution for every requirement. From high stability and clean tear-off edges to space-saving design: explore the sophisticated features that make everyday packaging faster, cleaner and easier.



VARIO ①

For professional requirements

- Single-hand operation for fast and convenient working
- High stability – secure hold even with intensive use
- Robust construction – ideal for daily use in the retail or packaging sector

STANDARD ②

The versatile solution

- Selectable tear-off edge (smooth or serrated) for different materials
- Stable design – durable and reliable in daily use
- Flexible use – ideal for regular packaging tasks

ZAC ③

Compact and functional

- Space-saving design – perfect for limited working space
- Serrated tear-off edge for safe and quick separation
- Easy material change – saves time in the work process


VARIO

The VARIO wrapping paper dispenser offers impressive stability and easy single-hand operation. With its robust construction it is perfect for professional applications. It also ensures clean and fast dispensing, making it ideal for the packaging or retail sector.



The sleek and dynamic design harmonises with any modern shop interior. New materials, technical optimisations and a convenient roll change mechanism make the VARIO system a top product in terms of handling and safety.

- Timeless, dynamic design
- Practical single-hand operation thanks to high stability
- Simple roll change thanks to the fold-down tear-off rail and extended spindle support
- Flexible tear-off rail for constant pressure and optimum separation



Standard feature:
serrated edge for
paper and foil.



- For paper and foil rolls with widths of between 30 and 100 cm and diameters up to 24 cm, max. 20 kg
- High-quality polyamide support elements, matt black



1



2

1 VARIO under-table dispenser

Serrated tear-off rail, roll diameter max. 24 cm, roll weight max. 20 kg, roll width 30 – 100 cm, for transparent film (PP) and wrapping paper.

Art. 14303000	W 395 x D 207 x H 203 mm, roll width 30 cm
Art. 14304000	W 495 x D 207 x H 203 mm, roll width 40 cm
Art. 14305000	W 595 x D 207 x H 203 mm, roll width 50 cm
Art. 14306000	W 695 x D 207 x H 203 mm, roll width 60 cm
Art. 14306500	W 745 x D 207 x H 203 mm, roll width 65 cm
Art. 14307500	W 845 x D 207 x H 203 mm, roll width 75 cm
Art. 14308000	W 895 x D 207 x H 203 mm, roll width 80 cm
Art. 14310000	W 1,095 x D 207 x H 203 mm, roll width 100 cm

2 VARIO wall dispenser

Serrated tear-off rail, roll diameter max. 24 cm, roll weight max. 20 kg, roll width 30 – 100 cm, for transparent film (PP) and wrapping paper.

Art. 14203000	W 395 x D 196 x H 100 mm, roll width 30 cm
Art. 14204000	W 495 x D 196 x H 100 mm, roll width 40 cm
Art. 14205000	W 595 x D 196 x H 100 mm, roll width 50 cm
Art. 14206000	W 695 x D 196 x H 100 mm, roll width 60 cm
Art. 14206500	W 745 x D 196 x H 100 mm, roll width 65 cm
Art. 14207500	W 845 x D 196 x H 100 mm, roll width 75 cm
Art. 14208000	W 895 x D 196 x H 100 mm, roll width 80 cm
Art. 14210000	W 1,095 x D 196 x H 100 mm, roll width 100 cm

3 VARIO vertical dispenser

Serrated tear-off rail, roll diameter max. 24 cm, roll weight max. 20 kg, roll width 30 – 80 cm, for transparent film (PP) and wrapping paper.

Art. 145030	W 243 x D 290 x H 410 mm, roll width 30 cm
Art. 145040	W 243 x D 290 x H 510 mm, roll width 40 cm
Art. 145050	W 243 x D 290 x H 610 mm, roll width 50 cm
Art. 145060	W 243 x D 290 x H 710 mm, roll width 60 cm
Art. 145065	W 243 x D 290 x H 760 mm, roll width 65 cm
Art. 145075	W 243 x D 290 x H 860 mm, roll width 75 cm
Art. 145080	W 243 x D 290 x H 910 mm, roll width 80 cm



3

4 VARIO table dispenser

Serrated tear-off rail, roll diameter max. 24 cm, roll weight max. 20 kg, roll width 30 – 80 cm, for transparent film (PP) and wrapping paper.

Art. 14103000	W 395 x D 234 x H 205 mm, roll width 30 cm
Art. 14104000	W 495 x D 234 x H 205 mm, roll width 40 cm
Art. 14105000	W 595 x D 234 x H 205 mm, roll width 50 cm
Art. 14106000	W 695 x D 234 x H 205 mm, roll width 60 cm
Art. 14106500	W 745 x D 234 x H 205 mm, roll width 65 cm
Art. 14107500	W 845 x D 234 x H 205 mm, roll width 75 cm
Art. 14108000	W 895 x D 234 x H 205 mm, roll width 80 cm
Art. 14110000	W 1,095 x D 234 x H 205 mm, roll width 100 cm

5 VARIO dispenser attachment

Serrated tear-off rail, roll diameter max. 24 cm, roll weight max. 20 kg, roll width 30 – 100 cm, for transparent film (PP) and wrapping paper.

Art. 14403000	W 395 x D 202 x H 350 mm, roll width 30 cm
Art. 14404000	W 495 x D 202 x H 350 mm, roll width 40 cm
Art. 14405000	W 595 x D 202 x H 350 mm, roll width 50 cm
Art. 14406000	W 695 x D 202 x H 350 mm, roll width 60 cm
Art. 14406500	W 745 x D 202 x H 350 mm, roll width 65 cm
Art. 14407500	W 845 x D 202 x H 350 mm, roll width 75 cm
Art. 14408000	W 895 x D 202 x H 350 mm, roll width 80 cm
Art. 14410000	W 1,095 x D 202 x H 350 mm, roll width 100 cm

6 VARIO ribbon dispenser, attachment for 2-8 reels

With cutter, reel diameter max. 110 mm, reel width max. 110 mm, for gift ribbons.

available for 2, 4 or 8 reels

Art. 120412	W 385 x D 120 x H 345 mm, for 2 reels
Art. 120414	W 750 x D 120 x H 345 mm, for 4 reels
Art. 120418	W 750 x D 120 x H 345 mm, for 8 reels



7 Table dispenser for 1 reel

With cutter, max. reel width 130 mm.

Art. 120111 W 100 x D 134 x H 181 mm

8 Wall dispenser for 4 reels

Art. 120214 W 750 x D 120 x H 90 mm

9 Under-table dispenser for 4 reels

Art. 120514 W 750 x D 207 x H 205 mm

10 Adhesive tape dispenser for ribbon dispenser

Art. 120301 W 61 x D 130 x H 250 mm



VARIO-CUT



Cut films effortlessly and cleanly instead of tearing them

VARIO-CUT – the cutting device for films and other materials that are difficult or impossible to tear. Roll widths up to 100 cm and roll diameters up to 21 cm, clamping cones for core diameters of 20 to 80 mm for roll fixation.



1 VARIO CUT

Roll diameter max. 21 cm, roll width 30-100 cm, with clamping cones for core diameters of 20 – 80 mm.

for wrapping paper, other films, transparent films and paper

Art. 160130	W 525 x D 222 x H 230 mm, roll width 30 cm
Art. 160150	W 725 x D 222 x H 230 mm, roll width 50 cm
Art. 160160	W 825 x D 222 x H 230 mm, roll width 60 cm
Art. 160180	W 1,025 x D 222 x H 230 mm, roll width 80 cm
Art. 160100	W 1,225 x D 222 x H 230 mm, roll width 100 cm

VARIO TWIN-CUT

Cutting and tearing in one device

VARIO TWIN-CUT is a cutting system for special materials such as long-fibre paper, nonwovens and film. The cutting unit has a tear-off edge so that normal types of paper can also be used.

The cutting unit including the tear-off edge is also available as a separate component and can easily be used on existing VARIO dispensers due to the identical design. However, this reduces the cutting width by approx. 20 – 25 cm.



1 VARIO TWIN-CUT – table dispenser

Roll diameter max. 24 cm, max. roll weight 20 kg, with cutting unit including tear-off edge as standard, for paper, nonwovens and film.

Table dispenser

Art. 141040TC	W 695 x D 234 x H 205 mm, roll width 40 cm
Art. 141050TC	W 845 x D 234 x H 205 mm, roll width 50 cm
Art. 141060TC	W 895 x D 234 x H 205 mm, roll width 60 cm
Art. 141075TC	W 1,095 x D 234 x H 205 mm, roll width 75/80 cm
Art. 141100TC	W 1,345 x D 234 x H 205 mm, roll width 100 cm

Under-table dispenser

Art. 143100TC	W 1,095 x D 207 x H 203 mm, roll width 100 cm
---------------	---

Wall dispenser

Art. 142040TC	W 695 x D 196 x H 126 mm, roll width 40 cm
Art. 142050TC	W 845 x D 196 x H 126 mm, roll width 50 cm
Art. 142060TC	W 895 x D 196 x H 126 mm, roll width 60 cm
Art. 142075TC	W 1,095 x D 196 x H 126 mm, roll width 75/80 cm
Art. 142100TC	W 1,345 x D 196 x H 126 mm, roll width 100 cm

2 VARIO TWIN-CUT – cutter

Complete bracket for tearing off and cutting (with blade).

for wrapping paper

Art. 149030TC	Roll width 30 cm
Art. 149040TC	Roll width 40 cm
Art. 149050TC	Roll width 50 cm
Art. 149060TC	Roll width 60 cm
Art. 149075TC	Roll width 75 cm



MULTI-VARIO

Versatile and space-saving

You can customise the MULTI-VARIO with the wall dispensers in the VARIO range.

1 MULTI-VARIO – mobile stand with dispenser – set 1

5 x VARIO wall dispensers 142075 (75 cm roll width), 1 x ribbon dispenser attachment 120418 (for 8 reels).

Art. 143016 W 845 x D 550 x H 1,918 mm

2 MULTI-VARIO – mobile stand with dispenser – set 2

9 x VARIO wall dispensers 142075 (75 cm roll width) max. roll diameter 110 mm.

Art. 143019 W 845 x D 555 x H 1,541 mm

3 MULTI-VARIO – mobile stand without dispenser

Depending on roll diameter, suitable for max. 5-9 dispensers, with perforated grid and stabiliser.

Art. 133005 W 60 x D 550 x H 1,517 mm



VARIO-PACK

The **MULTI-VARIO** and the **VARIO-PACK** can also be completely customised with the wall-mounted dispensers in the VARIO programme.

Shop packaging

Mobile packing station with sturdy worktop (400 x 800 mm), equipped with 2 paper or film dispensers and 2 ribbon dispensers. Mobile with 4 swivel castors, 2 of which can be locked.



1 VARIO-PACK – packing unit with worktop

Metal worktop (400 x 800 mm),
2 x VARIO wall dispensers 142075 (75 cm roll width),
1 x tape dispenser 133214 (for 4 reels), mobile.

Mobile packing station with sturdy worktop

Art. 146075 W 868 x D 555 x H 1,326 mm

We also offer customised solutions based on a modular system that can be equipped with any number of dispensers for wrapping paper, film and ribbons. Worktops, drawers and utensil holders (for scissors, adhesive tape, bows, etc.) can also be added. The back can be used as advertising space or as a merchandiser.



STANDARD

Our STANDARD dispenser offers a versatile solution for everyday packaging tasks. With a choice of a smooth or serrated tear-off edge, it ensures precise separation. The robust design also makes it a reliable partner for regular use.



The STANDARD programme is characterised by simple handling and has already proven itself in hundreds of thousands of use scenarios. Thanks to its understated look, the dispenser blends unobtrusively into any environment. It also effectively showcases exclusive wrapping paper.

- Practical single-hand operation thanks to high stability
- Optionally with a serrated tear-off rail for paper and film or smooth rail for paper
- For paper and film rolls in 30 to 100 cm widths with 22 cm diameter, max. 20 kg
- Flexible tear-off rail for constant pressure and good separation
- Steel profile frame available in light grey or chrome-plated



Smooth tear-off edge



Serrated tear-off edge

STANDARD



1 STANDARD under-table dispenser

Smooth (for wrapping paper) or serrated (for transparent film (PP) and wrapping paper) tear-off rail, roll diameter max. 22 cm, roll weight max. 20 kg, roll width 30-100 cm, flexible tear rail for constant pressure and good separation.

Art. 180130	W 362 x D 70 x H 163 mm, roll width 30 cm, smooth tear-off edge
Art. 180131	W 362 x D 70 x H 163 mm, roll width 30 cm, serrated tear-off edge
Art. 180140	W 462 x D 70 x H 163 mm, roll width 40 cm, smooth tear-off edge
Art. 180141	W 462 x D 70 x H 163 mm, roll width 40 cm, serrated tear-off edge
Art. 180150	W 562 x D 70 x H 163 mm, roll width 50 cm, smooth tear-off edge
Art. 180151	W 562 x D 70 x H 163 mm, roll width 50 cm, serrated tear-off edge
Art. 180160	W 662 x D 70 x H 163 mm, roll width 60 cm, smooth tear-off edge
Art. 180161	W 662 x D 70 x H 163 mm, roll width 60 cm, serrated tear-off edge
Art. 180170	W 812 x D 70 x H 163 mm, roll width 75 cm, smooth tear-off edge
Art. 180171	W 812 x D 70 x H 163 mm, roll width 75 cm, serrated tear-off edge
Art. 180180	W 862 x D 70 x H 163 mm, roll width 80 cm, smooth tear-off edge
Art. 180181	W 862 x D 70 x H 163 mm, roll width 80 cm, serrated tear-off edge
Art. 180110	W 1,062 x D 70 x H 163 mm, roll width 100 cm, smooth tear-off edge
Art. 180111	W 1,062 x D 70 x H 163 mm, roll width 100 cm, serrated tear-off edge

2 STANDARD wall dispenser

Smooth (for wrapping paper) or serrated (for transparent film (PP) and wrapping paper) tear-off rail, roll diameter max. 22 cm, roll weight max. 20 kg, roll width 30-100 cm, flexible tear rail for constant pressure and good separation.

Art. 152130	W 384 x D 157 x H 299 mm, roll width 30 cm, smooth tear-off edge
Art. 152131	W 384 x D 157 x H 299 mm, roll width 30 cm, serrated tear-off edge
Art. 152140	W 484 x D 157 x H 299 mm, roll width 40 cm, smooth tear-off edge
Art. 152141	W 484 x D 157 x H 299 mm, roll width 40 cm, serrated tear-off edge
Art. 152150	W 584 x D 157 x H 299 mm, roll width 50 cm, smooth tear-off edge
Art. 152151	W 584 x D 157 x H 299 mm, roll width 50 cm, serrated tear-off edge
Art. 152250	W 584 x D 157 x H 299 mm, roll width 50 cm, smooth tear-off edge, chrome-plated
Art. 152251	W 584 x D 157 x H 299 mm, roll width 50 cm, serrated tear-off edge, chrome-plated
Art. 152160	W 684 x D 157 x H 299 mm, roll width 60 cm, smooth tear-off edge
Art. 152161	W 684 x D 157 x H 299 mm, roll width 60 cm, serrated tear-off edge
Art. 152170	W 834 x D 157 x H 299 mm, roll width 75 cm, smooth tear-off edge
Art. 152171	W 834 x D 157 x H 299 mm, roll width 75 cm, serrated tear-off edge
Art. 152270	W 834 x D 157 x H 299 mm, roll width 75 cm, smooth tear-off edge, chrome-plated
Art. 152271	W 834 x D 157 x H 299 mm, roll width 75 cm, serrated tear-off edge, chrome-plated
Art. 152180	W 884 x D 157 x H 299 mm, roll width 80 cm, smooth tear-off edge
Art. 152181	W 884 x D 157 x H 299 mm, roll width 80 cm, serrated tear-off edge
Art. 152110	W 1,084 x D 157 x H 299 mm, roll width 100 cm, smooth tear-off edge
Art. 152111	W 1,084 x D 157 x H 299 mm, roll width 100 cm, serrated tear-off edge

3 STANDARD vertical dispenser

Smooth (for wrapping paper) or serrated (for transparent film (PP) and wrapping paper) tear-off rail, roll diameter max. 22 cm, roll weight max. 20 kg, roll width 50-100 cm, flexible tear rail for constant pressure and good separation.

Art. 175150	W 299 x D 240 x H 596 mm, roll width 50 cm, smooth tear-off edge
Art. 175151	W 299 x D 240 x H 596 mm, roll width 50 cm, serrated tear-off edge
Art. 175160	W 299 x D 240 x H 696 mm, roll width 60 cm, smooth tear-off edge
Art. 175161	W 299 x D 240 x H 696 mm, roll width 60 cm, serrated tear-off edge
Art. 175170	W 299 x D 240 x H 846 mm, roll width 75 cm, smooth tear-off edge
Art. 175171	W 299 x D 240 x H 846 mm, roll width 75 cm, serrated tear-off edge
Art. 175110	W 299 x D 240 x H 1,100 mm, roll width 100 cm, smooth tear-off edge
Art. 175111	W 299 x D 240 x H 1,100 mm, roll width 100 cm, serrated tear-off edge

4 STANDARD table dispenser

Smooth (for wrapping paper) or serrated (for transparent film (PP) and wrapping paper) tear-off rail, roll diameter max. 22 cm, roll weight max. 20 kg, roll width 30-100 cm, flexible tear rail for constant pressure and good separation.

Art. 151130	W 384 x D 221 x H 305 mm, roll width 30 cm, smooth tear-off edge
Art. 151131	W 384 x D 221 x H 305 mm, roll width 30 cm, serrated tear-off edge
Art. 151140	W 484 x D 221 x H 305 mm, roll width 40 cm, smooth tear-off edge
Art. 151141	W 484 x D 221 x H 305 mm, roll width 40 cm, serrated tear-off edge
Art. 151150	W 584 x D 221 x H 305 mm, roll width 50 cm, smooth tear-off edge
Art. 151151	W 584 x D 221 x H 305 mm, roll width 50 cm, serrated tear-off edge
Art. 151250	W 584 x D 221 x H 305 mm, roll width 50 cm, smooth tear-off edge, chrome-plated
Art. 151251	W 584 x D 221 x H 305 mm, roll width 50 cm, serrated tear-off edge, chrome-plated
Art. 151160	W 684 x D 221 x H 305 mm, roll width 60 cm, smooth tear-off edge
Art. 151161	W 684 x D 221 x H 305 mm, roll width 60 cm, serrated tear-off edge
Art. 151170	W 834 x D 221 x H 305 mm, roll width 75 cm, smooth tear-off edge
Art. 151171	W 834 x D 221 x H 305 mm, roll width 75 cm, serrated tear-off edge
Art. 151270	W 834 x D 221 x H 305 mm, roll width 75 cm, smooth tear-off edge, chrome-plated
Art. 151271	W 834 x D 221 x H 305 mm, roll width 75 cm, serrated tear-off edge, chrome-plated
Art. 151180	W 884 x D 221 x H 305 mm, roll width 80 cm, smooth tear-off edge
Art. 151181	W 884 x D 221 x H 305 mm, roll width 80 cm, serrated tear-off edge
Art. 151110	W 1,084 x D 221 x H 305 mm, roll width 100 cm, smooth tear-off edge
Art. 151111	W 1,084 x D 221 x H 305 mm, roll width 100 cm, serrated tear-off edge



5 Adhesive tape dispenser

Particularly robust, easy roll change, made entirely of metal

Art. 124300 W 50 x D 116 x H 122 mm

6 Ribbon dispenser attachment with cutter for 1 reel

Art. 124211 W 62 x D 255 x H 255 mm

7 Ribbon dispenser attachment with cutter for 2 – 3 reels

Art. 124221 W 62 x D 291 x H 199 mm, for 2 reels

Art. 124231 W 62 x D 416 x H 199 mm, for 3 reels

8 STANDARD top dispenser

Smooth (for wrapping paper) or serrated (for transparent film (PP) and wrapping paper) tear-off rail, roll diameter max. 22 cm, roll weight max. 20 kg, roll width 30 – 100 cm, flexible tear rail for constant pressure and good separation.

Art. 154130	W 384 x D 221 x H 299 mm, roll width 30 cm, smooth tear-off edge
Art. 154131	W 384 x D 221 x H 299 mm, roll width 30 cm, serrated tear-off edge
Art. 154140	W 484 x D 221 x H 299 mm, roll width 40 cm, smooth tear-off edge
Art. 154141	W 484 x D 221 x H 299 mm, roll width 40 cm, serrated tear-off edge
Art. 154150	W 584 x D 221 x H 299 mm, roll width 50 cm, smooth tear-off edge
Art. 154151	W 584 x D 221 x H 299 mm, roll width 50 cm, serrated tear-off edge
Art. 154160	W 684 x D 221 x H 299 mm, roll width 60 cm, smooth tear-off edge
Art. 154161	W 684 x D 221 x H 299 mm, roll width 60 cm, serrated tear-off edge
Art. 154170	W 834 x D 221 x H 299 mm, roll width 75 cm, smooth tear-off edge
Art. 154171	W 834 x D 221 x H 299 mm, roll width 75 cm, serrated tear-off edge
Art. 154180	W 884 x D 221 x H 299 mm, roll width 80 cm, smooth tear-off edge
Art. 154181	W 884 x D 221 x H 299 mm, roll width 80 cm, serrated tear-off edge
Art. 154110	W 1,084 x D 221 x H 299 mm, roll width 100 cm, smooth tear-off edge
Art. 154111	W 1,084 x D 221 x H 299 mm, roll width 100 cm, serrated tear-off edge



9 STANDARD complete frame

Smooth (for wrapping paper) or serrated (for transparent film (PP) and wrapping paper) tear-off rail, roll diameter max. 22 cm, roll weight max. 20 kg, roll width 30–100 cm, flexible tear rail for constant pressure and good separation.

Art.	150130	W 384 x D 51 x H 299 mm, roll width 30 cm, smooth tear-off edge
Art.	150131	W 384 x D 51 x H 299 mm, roll width 30 cm, serrated tear-off edge
Art.	150140	W 484 x D 51 x H 299 mm, roll width 40 cm, smooth tear-off edge
Art.	150141	W 484 x D 51 x H 299 mm, roll width 40 cm, serrated tear-off edge
Art.	150150	W 584 x D 51 x H 299 mm, roll width 50 cm, smooth tear-off edge
Art.	150151	W 584 x D 51 x H 299 mm, roll width 50 cm, serrated tear-off edge
Art.	150250	W 584 x D 51 x H 299 mm, roll width 50 cm, smooth tear-off edge, chrome-plated
Art.	150251	W 584 x D 51 x H 299 mm, roll width 50 cm, serrated tear-off edge, chrome-plated
Art.	150160	W 684 x D 51 x H 299 mm, roll width 60 cm, smooth tear-off edge
Art.	150161	W 684 x D 51 x H 299 mm, roll width 60 cm, serrated tear-off edge
Art.	150170	W 834 x D 51 x H 299 mm, roll width 75 cm, smooth tear-off edge
Art.	150171	W 834 x D 51 x H 299 mm, roll width 75 cm, serrated tear-off edge
Art.	150270	W 834 x D 51 x H 299 mm, roll width 75 cm, smooth tear-off edge, chrome-plated
Art.	150271	W 834 x D 51 x H 299 mm, roll width 75 cm, serrated tear-off edge, chrome-plated
Art.	150180	W 884 x D 51 x H 299 mm, roll width 80 cm, smooth tear-off edge
Art.	150181	W 884 x D 51 x H 299 mm, roll width 80 cm, serrated tear-off edge
Art.	150110	W 1,084 x D 51 x H 299 mm, roll width 100 cm, smooth tear-off edge
Art.	150111	W 1,084 x D 51 x H 299 mm, roll width 100 cm, serrated tear-off edge
9.1	Art.	101100 Feet for table dispenser
9.2	Art.	102100 Wall brackets for wall dispensers
9.3	Art.	104100N Clamp attachments

10 Ribbon dispenser frame

For 8 or 12 reels. Can be used as an attachment, wall or table dispenser (please order the required assembly materials separately).

Art.	124108	W 584 x D 51 x H 299 mm, for 8 reels
Art.	124112	W 834 x D 51 x H 299 mm, for 12 reels
10.1	Art.	124100 Feet for ribbon dispenser frame
	Art.	124200 Wall brackets for ribbon dispenser frame (without illustration)



ZAC

The ZAC dispenser combines compact design with high functionality. With a serrated tear-off edge and simple material change mechanism, it is suitable for professional use with different materials. ZAC is the ideal choice for an efficient workflow.



It guarantees you the functionality you expect from a dispenser:

- Practical single-hand operation
- Easy roll change thanks to the fold-down tear-off rail
- Serrated rail for paper and film as standard
- For paper and film rolls in 30 to 100 cm widths with 24 cm diameter, max. 20 kg
- Flexible tear-off rail for constant pressure and good separation





1 ZAC under-table dispenser

Serrated and flexible tear-off rail for paper and film, roll diameter max. 24 cm, roll weight max. 20 kg, roll width 30 – 100 cm, colour black.

Art. 136030	W 366 x D 256 x H 187 mm, roll width 30 cm
Art. 136040	W 466 x D 256 x H 187 mm, roll width 40 cm
Art. 136050	W 566 x D 256 x H 187 mm, roll width 50 cm
Art. 136060	W 666 x D 256 x H 187 mm, roll width 60 cm
Art. 136065	W 716 x D 256 x H 187 mm, roll width 65 cm
Art. 136075	W 816 x D 256 x H 187 mm, roll width 75 cm
Art. 136080	W 866 x D 256 x H 187 mm, roll width 80 cm
Art. 136100	W 1,066 x D 256 x H 187 mm, roll width 100 cm

2 ZAC wall dispenser

Serrated and flexible tear-off rail for paper and film, roll diameter max. 24 cm, roll weight max. 20 kg, roll width 30 – 100 cm, colour black.

Art. 137030	W 366 x D 215 x H 97 mm, roll width 30 cm
Art. 137040	W 466 x D 215 x H 97 mm, roll width 40 cm
Art. 137050	W 566 x D 215 x H 97 mm, roll width 50 cm
Art. 137060	W 666 x D 215 x H 97 mm, roll width 60 cm
Art. 137065	W 716 x D 215 x H 97 mm, roll width 65 cm
Art. 137075	W 816 x D 215 x H 97 mm, roll width 75 cm
Art. 137080	W 866 x D 215 x H 97 mm, roll width 80 cm
Art. 137100	W 1,066 x D 215 x H 97 mm, roll width 100 cm

3 ZAC table dispenser

Serrated and flexible tear-off rail for paper and film, roll diameter max. 24 cm, roll weight max. 20 kg, roll width 30 – 100 cm, colour black.

Art. 136030	W 366 x D 256 x H 187 mm, roll width 30 cm
Art. 136040	W 466 x D 256 x H 187 mm, roll width 40 cm
Art. 136050	W 566 x D 256 x H 187 mm, roll width 50 cm
Art. 136060	W 666 x D 256 x H 187 mm, roll width 60 cm
Art. 136065	W 716 x D 256 x H 187 mm, roll width 65 cm
Art. 136075	W 816 x D 256 x H 187 mm, roll width 75 cm
Art. 136080	W 866 x D 256 x H 187 mm, roll width 80 cm
Art. 136100	W 1,066 x D 256 x H 187 mm, roll width 100 cm

4 ZAC dispenser attachment

Serrated and flexible tear-off rail for paper and film, roll diameter max. 24 cm, roll weight max. 20 kg, roll width 30 – 100 cm, colour black.

Art. 138030	W 366 x D 233 x H 322 mm, roll width 30 cm
Art. 138040	W 466 x D 233 x H 322 mm, roll width 40 cm
Art. 138050	W 566 x D 233 x H 322 mm, roll width 50 cm
Art. 138060	W 666 x D 233 x H 322 mm, roll width 60 cm
Art. 138065	W 716 x D 233 x H 322 mm, roll width 65 cm
Art. 138075	W 816 x D 233 x H 322 mm, roll width 75 cm
Art. 138080	W 866 x D 233 x H 322 mm, roll width 80 cm
Art. 138100	W 1,066 x D 233 x H 322 mm, roll width 100 cm



MULTI-ZAC

Versatile and space-saving

Stand for up to 9 rolls (rolls diameter max. 110 mm) or up to 5 rolls (roll diameter max. 240 mm).

1 Multi-ZAC mobile stand with dispenser

5 x ZAC wall dispensers 137075 (75 cm roll width), 1 x ribbon dispenser attachment 120428 (for 8 reels).

For transparent film (PP) and wrapping paper

Art. 133037 W 816 x D 597 x H 1,890 mm

2 Multi-ZAC mobile stand without dispenser

Depending on roll diameter, suitable for max. 5-9 dispensers, with perforated grid and stabiliser, mobile.

Art. 133025 W 60 x D 550 x H 1,517 mm


3 Dispenser attachment for 4 or 8 reels

3.1 Art. 120424 W 748 x D 117.5 x H 315.5 mm

3.2 Art. 120428 W 762 x D 125 x H 467 mm

4 Adhesive tape dispenser for ribbon dispenser

Art. 120302 W 61 x D 130 x H 250 mm



PRISMA UTENSILIO

1 Table Utensilio

For gift ribbons, labels etc.

- | | | |
|-----|-------------|--------------------------|
| 1.1 | Art. 122150 | W 540 x D 200 x H 110 mm |
| 1.2 | Art. 122250 | W 540 x D 200 x H 300 mm |
| 1.3 | Art. 122350 | W 540 x D 200 x H 480 mm |

2 Label Utensilio

Art. 122120 W 180 x D 200 x H 110 mm

3 Wall Utensilio

Art. 123250 W 540 x D 200 x H 280 mm

4 PRISMA shelf divider

Art. 122052 1 set = 2 pcs.

5 PRISMA CLIP dispensing guide

Dispensing guide for labels and tapes.

Art. 122051 1 set = 2 pcs.



DISPENSER **ACCESSORIES**

Our accessories for wrapping paper dispensers include ribbon dispensers, holders and spare parts that optimise your packaging station. Everything is perfectly coordinated with our dispensers to make work processes easier and the workplace more flexible.



1 Adhesive tape dispenser

Art. 120301	W 61 x D 130 x H 250 mm, for VARIO
Art. 124300	W 50 x D 116 x H 122 mm, for STANDARD
Art. 120302	W 61 x D 130 x H 250 mm, for ZAC

2 Wall ribbon dispenser

For 4 reels, with cutter, max. reel width 110 mm.

Art. 120214	W 750 x D 120 x H 90 mm
-------------	-------------------------

3 Table dispenser

For 1 reel, with cutter.

3.1	Art. 121201	W 220 x D 130 x H 130 mm
3.2	Art. 120111	W 100 x D 134 x H 181 mm, max. reel width 130 mm

4 Table and wall dispenser

For 6 – 8 reels, with cutter.

Art. 121208	W 400 x D 170 x H 400 mm
-------------	--------------------------

5 Packing cord casing


For 3,000 g balls, with cutter.

Art. 136300	Ø 227.5 x H 290 mm
-------------	--------------------

6 Cord capsule

For 500 g balls, with cutter.

Art. 126501	Ø 168 x H 174 mm
-------------	------------------



02

Table frames





COLUMN FRAMES

Our column frames provide a stable and flexible base for a variety of table solutions. They are characterised by their high load-bearing capacity and robust construction, providing a reliable basis for a wide range of applications, from the office to the workshop. The modern design adapts flexibly to different room layouts and requirements.



The right finish
for every base plate –
cylindrical grinding
for round tubes
and longitudinal grinding
for square tubes.












FINISHES



All frames are available in
the following finishes:

- Stainless steel, satin-finish polished
- Steel, chrome-plated (high-gloss)
 - Steel, powder-coated in
RAL9005/RAL9006 smooth matt
- Steel, untreated for self-coating or painting
 - Other colours available on request

Which table frame do I need?

Finish	 Stainless steel – satin-matt, precision ground	 Steel, chrome-plated (high-gloss)	 RAL Steel, powder-coated to RAL 9005/9006 smooth matt	 Steel, untreated for self-coating or painting
Tabletop*	 			
Column shape*	 			
Number of columns*	  			
Table frame height without table top*	  450 mm  720 mm  1,080 mm   470 – 690 mm  680 – 1,110 mm			
Base plate*	    Freeform			

* Exemplary illustration. Please specify the weight, material and dimensions of the table top when making enquiries and placing orders.



1 Model 9500, single-column, for table tops up to Ø 1,500 mm

Table frame with extra large, smooth cover plate. Steel screw-on plate, coated, Ø 690 mm, round upright tube Ø 120 mm, cover plate Ø 950 mm, coated steel weight plate Ø 940 mm, with 5 black PVC height adjusters Ø 40 mm. Assembly material included.

1.1 Stainless steel, satin-matt, precision ground

Art. 9500E/Co	H 450 mm (coffee table frame)
Art. 9500E/Si	H 720 mm (seat table frame)
Art. 9500E/St	H 1,080 mm (high table frame)

1.2 Steel, chrome-plated (high-gloss)

Art. 9500C/Co	H 450 mm (coffee table frame)
Art. 9500C/Si	H 720 mm (seat table frame)
Art. 9500C/St	H 1,080 mm (high table frame)

1.3 Steel, powder-coated to RAL 9005 standard (black), smooth matt

Art. 9500B05/Co	H 450 mm (coffee table frame)
Art. 9500B05/Si	H 720 mm (seat table frame)
Art. 9500B05/St	H 1,080 mm (high table frame)

1.4 Steel, powder-coated to RAL 9006 standard (white aluminium), smooth matt

Art. 9500B06/Co	H 450 mm (coffee table frame)
Art. 9500B06/Si	H 720 mm (seat table frame)
Art. 9500B06/St	H 1,080 mm (high table frame)

1.5 Steel, untreated for self-coating or painting

Art. 9500R/Co	H 450 mm (coffee table frame)
Art. 9500R/Si	H 720 mm (seat table frame)
Art. 9500R/St	H 1,080 mm (high table frame)

2



2 Model 49500, four-column, for table tops up to Ø 1,750 mm

Table frame with extra large, smooth cover plate. Steel screw-on plate, coated, Ø 800 mm, 4 round upright tubes Ø 80 mm, cover plate Ø 950 mm, coated steel weight plate Ø 940 mm, with 5 black PVC height adjusters Ø 40 mm. Assembly material included.

2.1 Stainless steel, satin-matt, precision ground

Art. 49500E/Co	H 450 mm (coffee table frame)
Art. 49500E/Si	H 720 mm (seat table frame)
Art. 49500E/St	H 1,080 mm (high table frame)

2.2 Steel, chrome-plated (high-gloss)

Art. 49500C/Co	H 450 mm (coffee table frame)
Art. 49500C/Si	H 720 mm (seat table frame)
Art. 49500C/St	H 1,080 mm (high table frame)

2.3 Steel, powder-coated to RAL 9005 standard (black), smooth matt

Art. 49500B05/Co	H 450 mm (coffee table frame)
Art. 49500B05/Si	H 720 mm (seat table frame)
Art. 49500B05/St	H 1,080 mm (high table frame)

2.4 Steel, powder-coated to RAL 9006 standard (white aluminium), smooth matt

Art. 49500B06/Co	H 450 mm (coffee table frame)
Art. 49500B06/Si	H 720 mm (seat table frame)
Art. 49500B06/St	H 1,080 mm (high table frame)

2.5 Steel, untreated for self-coating or painting

Art. 49500R/Co	H 450 mm (coffee table frame)
Art. 49500R/Si	H 720 mm (seat table frame)
Art. 49500R/St	H 1,080 mm (high table frame)



3.1 4.1

3 Model 3000, single-column, for table tops up to Ø 500 mm

Table frame with smooth cover plate. Steel screw-on plate, coated W 200 x D 200 mm, round upright tube Ø 50 mm, cover plate Ø 300 mm, coated steel weight plate Ø 285 mm, with 5 black PVC height adjusters Ø 40 mm. Assembly material included.

3.1 Stainless steel, satin-matt, precision ground

Art. 3000E/Co	H 450 mm (coffee table frame)
Art. 3000E/Si	H 720 mm (seat table frame)
Art. 3000E/St	H 1,080 mm (high table frame)

3.2 Steel, chrome-plated (high-gloss)

Art. 3000C/Co	H 450 mm (coffee table frame)
Art. 3000C/Si	H 720 mm (seat table frame)
Art. 3000C/St	H 1,080 mm (high table frame)

3.3 Steel, powder-coated to RAL 9005 standard (black), smooth matt

Art. 3000B05/Co	H 450 mm (coffee table frame)
Art. 3000B05/Si	H 720 mm (seat table frame)
Art. 3000B05/St	H 1,080 mm (high table frame)

3.4 Steel, powder-coated to RAL 9006 standard (white aluminium), smooth matt

Art. 3000B06/Co	H 450 mm (coffee table frame)
Art. 3000B06/Si	H 720 mm (seat table frame)
Art. 3000B06/St	H 1,080 mm (high table frame)

3.5 Steel, untreated for self-coating or painting

Art. 3000R/Co	H 450 mm (coffee table frame)
Art. 3000R/Si	H 720 mm (seat table frame)
Art. 3000R/St	H 1,080 mm (high table frame)



3.3 4.3

4 Model 4100, single-column, for table tops up to Ø 650 mm

Table frame with smooth cover plate. Steel screw-on plate, coated, W 250 x D 250 mm, round upright tube Ø 60 mm, cover plate Ø 410 mm, coated steel weight plate Ø 385 mm, with 5 black PVC height adjusters Ø 40 mm. Assembly material included.

4.1 Stainless steel, satin-matt, precision ground

Art. 4100E/Co	H 450 mm (coffee table frame)
Art. 4100E/Si	H 720 mm (seat table frame)
Art. 4100E/St	H 1,080 mm (high table frame)

4.2 Steel, chrome-plated (high-gloss)

Art. 4100C/Co	H 450 mm (coffee table frame)
Art. 4100C/Si	H 720 mm (seat table frame)
Art. 4100C/St	H 1,080 mm (high table frame)

4.3 Steel, powder-coated to RAL 9005 standard (black), smooth matt

Art. 4100B05/Co	H 450 mm (coffee table frame)
Art. 4100B05/Si	H 720 mm (seat table frame)
Art. 4100B05/St	H 1,080 mm (high table frame)

4.4 Steel, powder-coated to RAL 9006 standard (white aluminium), smooth matt

Art. 4100B06/Co	H 450 mm (coffee table frame)
Art. 4100B06/Si	H 720 mm (seat table frame)
Art. 4100B06/St	H 1,080 mm (high table frame)

4.5 Steel, untreated for self-coating or painting

Art. 4100R/Co	H 450 mm (coffee table frame)
Art. 4100R/Si	H 720 mm (seat table frame)
Art. 4100R/St	H 1,080 mm (high table frame)

5.1



5 Model 5100, single-column, for table tops up to Ø 800 mm

Table frame with smooth cover plate. Steel screw-on plate, coated, W 250 x D 250 mm, round upright tube Ø 80 mm, cover plate Ø 510 mm, coated steel weight plate Ø 490 mm, with 5 black PVC height adjusters Ø 40 mm. Assembly material included.

5.1 Stainless steel, satin-matt, precision ground

Art. 5100E/Co	H 450 mm (coffee table frame)
Art. 5100E/Si	H 720 mm (seat table frame)
Art. 5100E/St	H 1,080 mm (high table frame)

5.2 Steel, chrome-plated (high-gloss)

Art. 5100C/Co	H 450 mm (coffee table frame)
Art. 5100C/Si	H 720 mm (seat table frame)
Art. 5100C/St	H 1,080 mm (high table frame)

5.3 Steel, powder-coated to RAL 9005 standard (black), smooth matt

Art. 5100B05/Co	H 450 mm (coffee table frame)
Art. 5100B05/Si	H 720 mm (seat table frame)
Art. 5100B05/St	H 1,080 mm (high table frame)

5.4 Steel, powder-coated to RAL 9006 standard (white aluminium), smooth matt

Art. 5100B06/Co	H 450 mm (coffee table frame)
Art. 5100B06/Si	H 720 mm (seat table frame)
Art. 5100B06/St	H 1,080 mm (high table frame)

5.5 Steel, untreated for self-coating or painting

Art. 5100R/Co	H 450 mm (coffee table frame)
Art. 5100R/Si	H 720 mm (seat table frame)
Art. 5100R/St	H 1,080 mm (high table frame)

6 Model 6000, single-column, for table tops up to Ø 1,000 mm

Table frame with smooth cover plate. Steel screw-on plate, coated, W 300 x D 300 mm, round upright tube Ø 100 mm, cover plate Ø 600 mm, coated steel weight plate Ø 585 mm, with 5 black PVC height adjusters Ø 40 mm. Assembly material included.

6.1 Stainless steel, satin-matt, precision ground

Art. 6000E/Co	H 450 mm (coffee table frame)
Art. 6000E/Si	H 720 mm (seat table frame)
Art. 6000E/St	H 1,080 mm (high table frame)

6.2 Steel, chrome-plated (high-gloss)

Art. 6000C/Co	H 450 mm (coffee table frame)
Art. 6000C/Si	H 720 mm (seat table frame)
Art. 6000C/St	H 1,080 mm (high table frame)

6.3 Steel, powder-coated to RAL 9005 standard (black), smooth matt

Art. 6000B05/Co	H 450 mm (coffee table frame)
Art. 6000B05/Si	H 720 mm (seat table frame)
Art. 6000B05/St	H 1,080 mm (high table frame)

6.4 Steel, powder-coated to RAL 9006 standard (white aluminium), smooth matt

Art. 6000B06/Co	H 450 mm (coffee table frame)
Art. 6000B06/Si	H 720 mm (seat table frame)
Art. 6000B06/St	H 1,080 mm (high table frame)

6.5 Steel, untreated for self-coating or painting

Art. 6000R/Co	H 450 mm (coffee table frame)
Art. 6000R/Si	H 720 mm (seat table frame)
Art. 6000R/St	H 1,080 mm (high table frame)

7 Model 7000, single-column, for table tops up to Ø 1,300 mm

Table frame with smooth cover plate. Steel screw-on plate, coated, W 495 x D 495 mm, round upright tube Ø 100 mm, cover plate Ø 700 mm, coated steel weight plate Ø 675 mm, with 5 black PVC height adjusters Ø 40 mm. Assembly material included.

7.1 Stainless steel, satin-matt, precision ground

Art. 7000E/Co	H 450 mm (coffee table frame)
Art. 7000E/Si	H 720 mm (seat table frame)
Art. 7000E/St	H 1,080 mm (high table frame)

7.2 Steel, chrome-plated (high-gloss)

Art. 7000C/Co	H 450 mm (coffee table frame)
Art. 7000C/Si	H 720 mm (seat table frame)
Art. 7000C/St	H 1,080 mm (high table frame)

7.3 Steel, powder-coated to RAL 9005 standard (black), smooth matt


Art. 7000B05/Co	H 450 mm (coffee table frame)
Art. 7000B05/Si	H 720 mm (seat table frame)
Art. 7000B05/St	H 1,080 mm (high table frame)

7.4 Steel, powder-coated to RAL 9006 standard (white aluminium), smooth matt

Art. 7000B06/Co	H 450 mm (coffee table frame)
Art. 7000B06/Si	H 720 mm (seat table frame)
Art. 7000B06/St	H 1,080 mm (high table frame)

7.5 Steel, untreated for self-coating or painting

Art. 7000R/Co	H 450 mm (coffee table frame)
Art. 7000R/Si	H 720 mm (seat table frame)
Art. 7000R/St	H 1,080 mm (high table frame)



8 Model 4100/HV with gas struts, single-column, for table tops up to Ø 600 mm

Height-adjustable table frame with gas struts and round cover plate. Steel screw-on plate, coated W 400 x D 400 mm, round upright tube Ø 80/90 mm, cover plate Ø 410 mm, coated steel weight plate Ø 385 mm, with 5 black PVC height adjusters Ø 40 mm, surface load 30 kg. Assembly material included, delivered assembled.

8.1 Stainless steel, satin-matt, precision ground

Art. 4100/HVE/Co-Si	H 470 - 690 mm (from coffee to seat table height)
Art. 4100/HVE/Si-St	H 680 - 1,110 mm (from seat to high table height)

8.2 Steel, chrome-plated (high-gloss)

Art. 4100/HVC/Co-Si	H 470 - 690 mm (from coffee to seat table height)
Art. 4100/HVC/Si-St	H 680 - 1,110 mm (from seat to high table height)

8.3 Steel, powder-coated to RAL 9005 standard (black), smooth matt

Art. 4100/HVB05/Co-Si	H 470 - 690 mm (from coffee to seat table height)
Art. 4100/HVB05/Si-St	H 680 - 1,110 mm (from seat to high table height)

8.4 Steel, powder-coated to RAL 9006 standard (white aluminium), smooth matt

Art. 4100/HVB06/Co-Si	H 470 - 690 mm (from coffee to seat table height)
Art. 4100/HVB06/Si-St	H 680 - 1,110 mm (from seat to high table height)

9 Model 5100/HV with gas struts, single-column, for table tops up to Ø 800 mm

Height-adjustable table frame with gas struts and round cover plate. Steel screw-on plate, coated W 400 x D 400 mm, round upright tube Ø 80/90 mm, cover plate Ø 510 mm, coated steel weight plate Ø 490 mm, with 5 black PVC height adjusters Ø 40 mm, surface load 30 kg. Assembly material included, delivered assembled.

9.1 Stainless steel, satin-matt, precision ground

Art. 5100/HVE/Co-Si	H 470 - 690 mm (from coffee to seat table height)
Art. 5100/HVE/Si-St	H 680 - 1,110 mm (from seat to high table height)

9.2 Steel, chrome-plated (high-gloss)

Art. 5100/HVC/Co-Si	H 470 - 690 mm (from coffee to seat table height)
Art. 5100/HVC/Si-St	H 680 - 1,110 mm (from seat to high table height)

9.3 Steel, powder-coated to RAL 9005 standard (black), smooth matt

Art. 5100/HVB05/Co-Si	H 470 - 690 mm (from coffee to seat table height)
Art. 5100/HVB05/Si-St	H 680 - 1,110 mm (from seat to high table height)

9.4 Steel, powder-coated to RAL 9006 standard (white aluminium), smooth matt

Art. 5100/HVB06/Co-Si	H 470 - 690 mm (from coffee to seat table height)
Art. 5100/HVB06/Si-St	H 680 - 1,110 mm (from seat to high table height)



10 Model 6000/HV with gas struts, single-column, for table tops up to Ø 900 mm

Height-adjustable table frame with gas struts and round cover plate. Steel screw-on plate, coated W 400 x D 400 mm, round upright tube Ø 80/90 mm, cover plate Ø 600 mm, coated steel weight plate Ø 590 mm, with 5 black PVC height adjusters Ø 40 mm, surface load 30 kg. Assembly material included, delivered assembled.

10.1 Stainless steel, satin-matt, precision ground

Art. 6000/HVE/Co-Si	H 470 – 690 mm (from coffee to seat table height)
Art. 6000/HVE/Si-St	H 680 – 1,110 mm (from seat to high table height)

10.2 Steel, chrome-plated (high-gloss)

Art. 6000/HVC/Co-Si	H 470 – 690 mm (from coffee to seat table height)
Art. 6000/HVC/Si-St	H 680 – 1,110 mm (from seat to high table height)

10.3 Steel, powder-coated to RAL 9005 standard (black), smooth matt

Art. 6000/HVB05/Co-Si	H 470 – 690 mm (from coffee to seat table height)
Art. 6000/HVB05/Si-St	H 680 – 1,110 mm (from seat to high table height)

10.4 Steel, powder-coated to RAL 9006 standard (white aluminium), smooth matt

Art. 6000/HVB06/Co-Si	H 470 – 690 mm (from coffee to seat table height)
Art. 6000/HVB06/Si-St	H 680 – 1,110 mm (from seat to high table height)

10.3

11.3



11 Model 7000/HV with gas struts, single-column, for table tops up to Ø 1,100 mm

Height-adjustable table frame with gas struts and round cover plate. Steel screw-on plate, coated W 400 x D 400 mm, round upright tube Ø 80/90 mm, cover plate Ø 700 mm, coated steel weight plate Ø 690 mm, with 5 black PVC height adjusters Ø 40 mm, surface load 30 kg. Assembly material included, delivered assembled.

11.1 Stainless steel, satin-matt, precision ground

Art. 7000/HVE/Co-Si	H 470 – 690 mm (from coffee to seat table height)
Art. 7000/HVE/Si-St	H 680 – 1,110 mm (from seat to high table height)

11.2 Steel, chrome-plated (high-gloss)

Art. 7000/HVC/Co-Si	H 470 – 690 mm (from coffee to seat table height)
Art. 7000/HVC/Si-St	H 680 – 1,110 mm (from seat to high table height)

11.3 Steel, powder-coated to RAL 9005 standard (black), smooth matt

Art. 7000/HVB05/Co-Si	H 470 – 690 mm (from coffee to seat table height)
Art. 7000/HVB05/Si-St	H 680 – 1,110 mm (from seat to high table height)

11.4 Steel, powder-coated to RAL 9006 standard (white aluminium), smooth matt

Art. 7000/HVB06/Co-Si	H 470 – 690 mm (from coffee to seat table height)
Art. 7000/HVB06/Si-St	H 680 – 1,110 mm (from seat to high table height)



1 Model 9595, single-column, for table tops W 1,500 x D 1,500 mm

Table frame with extra large cover plate. Steel screw-on plate, coated, W 740 x D 490 mm, round upright tube Ø 150 mm, cover plate Ø 950 x D 950 mm, coated steel weight plate W 940 x D 940 mm, with 8 black PVC height adjusters Ø 40 mm. Assembly material included.

1.1 Stainless steel, satin-matt, precision ground

Art. 9595E/Co	H 450 mm (coffee table frame)
Art. 9595E/Si	H 720 mm (seat table frame)
Art. 9595E/St	H 1,080 mm (high table frame)

1.2 Steel, chrome-plated (high-gloss)

Art. 9595C/Co	H 450 mm (coffee table frame)
Art. 9595C/Si	H 720 mm (seat table frame)
Art. 9595C/St	H 1,080 mm (high table frame)

1.3 Steel, powder-coated to RAL 9005 standard (black), smooth matt

Art. 9595B05/Co	H 450 mm (coffee table frame)
Art. 9595B05/Si	H 720 mm (seat table frame)
Art. 9595B05/St	H 1,080 mm (high table frame)

1.4 Steel, powder-coated to RAL 9006 standard (white aluminium), smooth matt

Art. 9595B06/Co	H 450 mm (coffee table frame)
Art. 9595B06/Si	H 720 mm (seat table frame)
Art. 9595B06/St	H 1,080 mm (high table frame)

1.5 Steel, untreated for self-coating or painting

Art. 9595R/Co	H 450 mm (coffee table frame)
Art. 9595R/Si	H 720 mm (seat table frame)
Art. 9595R/St	H 1,080 mm (high table frame)



2.1



2.3

2 Model 9595Q, single-column, for table tops W 1,500 x D 1,500 mm

Table frame with extra large cover plate. Steel screw-on plate, coated, Ø 490 mm, square upright tube W 150 x D 150 mm, cover plate W 950 x D 950 mm, coated steel weight plate W 940 x D 490 mm, with 8 black PVC height adjusters Ø 40 mm. Assembly material included.

2.1 Stainless steel, satin-matt, precision ground

Art. 9595EQ/Co	H 450 mm (coffee table frame)
Art. 9595EQ/Si	H 720 mm (seat table frame)
Art. 9595EQ/St	H 1,080 mm (high table frame)

2.2 Steel, chrome-plated (high-gloss)

Art. 9595CQ/Co	H 450 mm (coffee table frame)
Art. 9595CQ/Si	H 720 mm (seat table frame)
Art. 9595CQ/St	H 1,080 mm (high table frame)

2.3 Steel, powder-coated to RAL 9005 standard (black), smooth matt

Art. 9595B05Q/Co	H 450 mm (coffee table frame)
Art. 9595B05Q/Si	H 720 mm (seat table frame)
Art. 9595B05Q/St	H 1,080 mm (high table frame)

2.4 Steel, powder-coated to RAL 9006 standard (white aluminium), smooth matt

Art. 9595B06Q/Co	H 450 mm (coffee table frame)
Art. 9595B06Q/Si	H 720 mm (seat table frame)
Art. 9595B06Q/St	H 1,080 mm (high table frame)

2.5 Steel, untreated for self-coating or painting

Art. 9595RQ/Co	H 450 mm (coffee table frame)
Art. 9595RQ/Si	H 720 mm (seat table frame)
Art. 9595RQ/St	H 1,080 mm (high table frame)



3 Model 9560, two-column, for table tops W 1,600 x D 1,000 mm

Table frame with extra large, rectangular cover plate. Steel screw-on plate, coated W 740 x D 490 mm, 2 round or square upright tubes, cover plate W 950 x D 600 mm, coated steel weight plate W 940 x D 590 mm, with 8 black PVC height adjusters Ø 40 mm. Assembly material included.

3.1 Stainless steel, satin-matt, precision ground

2 round tubes Ø 100 mm	2 square tubes W 100 x D 100 mm	
Art. 9560E/Co	9560EQ/Co	H 450 mm (coffee table frame)
Art. 9560E/Si	9560EQ/Si	H 720 mm (seat table frame)
Art. 9560E/St	9560EQ/St	H 1,080 mm (high table frame)

3.2 Steel, chrome-plated (high-gloss)

2 round tubes Ø 100 mm	2 square tubes W 100 x D 100 mm	
Art. 9560C/Co	9560CQ/Co	H 450 mm (coffee table frame)
Art. 9560C/Si	9560CQ/Si	H 720 mm (seat table frame)
Art. 9560C/St	9560CQ/St	H 1,080 mm (high table frame)

3.3 Steel, powder-coated to RAL 9005 standard (black), smooth matt

2 round tubes Ø 100 mm	2 square tubes W 100 x D 100 mm	
Art. 9560B05/Co	9560B05Q/Co	H 450 mm (coffee table frame)
Art. 9560B05/Si	9560B05Q/Si	H 720 mm (seat table frame)
Art. 9560B05/St	9560B05Q/St	H 1,080 mm (high table frame)

3.4 Steel, powder-coated to RAL 9006 standard (white aluminium), smooth matt

2 round tubes Ø 100 mm	2 square tubes W 100 x D 100 mm	
Art. 9560B06/Co	9560B06Q/Co	H 450 mm (coffee table frame)
Art. 9560B06/Si	9560B06Q/Si	H 720 mm (seat table frame)
Art. 9560B06/St	9560B06Q/St	H 1,080 mm (high table frame)

3.5 Steel, untreated for self-coating or painting

2 round tubes Ø 100 mm	2 square tubes W 100 x D 100 mm	
Art. 9560R/Co	9560RQ/Co	H 450 mm (coffee table frame)
Art. 9560R/Si	9560RQ/Si	H 720 mm (seat table frame)
Art. 9560R/St	9560RQ/St	H 1,080 mm (high table frame)

COLUMN FRAMES | with square base plate

4 Model 11875/1, two-column, for table tops W 2,000 x D 1,200 mm

Steel screw-on plate, coated W 940 x D 590 mm, 2 round or square upright tubes, cover plate W 1,180 x D 750 mm, coated steel weight plate W 1,170 x D 740 mm, with 10 black PVC height adjusters Ø 40 mm. Assembly material included.

4.1	Stainless steel, satin-matt, precision ground		
	2 round tubes Ø 120 mm	2 square tubes W 120 x D 120 mm	
	Art. 11875/1-E/Si	11875/1-QE/Si	H 720 mm (seat table frame)
	Art. 11875/1-E/St	11875/1-QE/St	H 1,080 mm (high table frame)
4.2	Steel, chrome-plated (high-gloss)		
	2 round tubes Ø 120 mm	2 square tubes W 120 x D 120 mm	
	Art. 11875/1-C/Si	11875/1-QC/Si	H 720 mm (seat table frame)
	Art. 11875/1-C/St	11875/1-QC/St	H 1,080 mm (high table frame)
4.3	Steel, powder-coated to RAL 9005 standard (black), smooth matt		
	2 round tubes Ø 120 mm	2 square tubes W 120 x D 120 mm	
	Art. 11875/1-B05/Si	11875/1-QB05/Si	H 720 mm (seat table frame)
	Art. 11875/1-B05/St	11875/1-QB05/St	H 1,080 mm (high table frame)
4.4	Steel, powder-coated to RAL 9006 standard (white aluminium), smooth matt		
	2 round tubes Ø 120 mm	2 square tubes W 120 x D 120 mm	
	Art. 11875/1-B06/Si	11875/1-QB06/Si	H 720 mm (seat table frame)
	Art. 11875/1-B06/St	11875/1-QB06/St	H 1,080 mm (high table frame)
4.5	Steel, untreated for self-coating or painting		
	2 round tubes Ø 120 mm	2 square tubes W 120 x D 120 mm	
	Art. 11875/1-R/Si	11875/1-QR/Si	H 720 mm (seat table frame)
	Art. 11875/1-R/St	11875/1-QR/St	H 1,080 mm (high table frame)



5 Model 44300, single-column, for table tops W 500 x D 500 mm

Steel screw-on plate, coated, W 200 x D 200 mm, round or square upright tube, cover plate W 300 x D 300 mm, coated steel weight plate W 290 x D 290 mm, with 4(round) or 5 (square) black PVC height adjusters Ø 40 mm. Assembly material included.

5.1 Stainless steel, satin-matt, precision ground

1 round tube Ø 50 mm

Art. 44300E/Co

Art. 44300E/Si

Art. 44300E/St

1 square tube W 50 x D 50 mm

44300EQ/Co

44300EQ/Si

44300EQ/St

H 450 mm (coffee table frame)

H 720 mm (seat table frame)

H 1,080 mm (high table frame)

5.2 Steel, chrome-plated (high-gloss)

1 round tube Ø 50 mm

Art. 44300C/Co

Art. 44300C/Si

Art. 44300C/St

1 square tube W 50 x D 50 mm

44300CQ/Co

44300CQ/Si

44300CQ/St

H 450 mm (coffee table frame)

H 720 mm (seat table frame)

H 1,080 mm (high table frame)

5.3 Steel, powder-coated to RAL 9005 standard (black), smooth matt

1 round tube Ø 50 mm

Art. 44300B05/Co

Art. 44300B05/Si

Art. 44300B05/St

1 square tube W 50 x D 50 mm

44300B05Q/Co

44300B05Q/Si

44300B05Q/St

H 450 mm (coffee table frame)

H 720 mm (seat table frame)

H 1,080 mm (high table frame)

5.4 Steel, powder-coated to RAL 9006 standard (white aluminium), smooth matt

1 round tube Ø 50 mm

Art. 44300B06/Co

Art. 44300B06/Si

Art. 44300B06/St

1 square tube W 50 x D 50 mm

44300B06/Co

44300B06Q/Si

44300B06Q/St

H 450 mm (coffee table frame)

H 720 mm (seat table frame)

H 1,080 mm (high table frame)

5.5 Steel, untreated for self-coating or painting

1 round tube Ø 50 mm

Art. 44300R/Co

Art. 44300R/Si

Art. 44300R/St

1 square tube W 50 x D 50 mm

44300RQ/Co

44300RQ/Si

44300RQ/St

H 450 mm (coffee table frame)

H 720 mm (seat table frame)

H 1,080 mm (high table frame)





6 Model 44450, single-column, for table tops W 700 x D 700 mm

Steel screw-on plate, coated W 250 x D 250 mm, round or square upright tube, cover plate W 450 x D 450 mm, coated steel weight plate W 440 x D 440 mm, with 4 (round) or 5 (square) black PVC height adjusters Ø 40 mm. Assembly material included.

6.1 Stainless steel, satin-matt, precision ground

1 round tube Ø 60 mm	1 square tube W 60 x D 60 mm	
Art. 44450E/Co	44450EQ/Co	H 450 mm (coffee table frame)
Art. 44450E/Si	44450EQ/Si	H 720 mm (seat table frame)
Art. 44450E/St	44450EQ/St	H 1,080 mm (high table frame)

6.2 Steel, chrome-plated (high-gloss)

1 round tube Ø 60 mm	1 square tube W 60 x D 60 mm	
Art. 44450C/Co	44450CQ/Co	H 450 mm (coffee table frame)
Art. 44450C/Si	44450CQ/Si	H 720 mm (seat table frame)
Art. 44450C/St	44450CQ/St	H 1,080 mm (high table frame)

6.3 Steel, powder-coated to RAL 9005 standard (black), smooth matt

1 round tube Ø 60 mm	1 square tube W 60 x D 60 mm	
Art. 44450B05/Co	44450B05Q/Co	H 450 mm (coffee table frame)
Art. 44450B05/Si	44450B05Q/Si	H 720 mm (seat table frame)
Art. 44450B05/St	44450B05Q/St	H 1,080 mm (high table frame)

6.4 Steel, powder-coated to RAL 9006 standard (white aluminium), smooth matt

1 round tube Ø 60 mm	1 square tube W 60 x D 60 mm	
Art. 44450B06/Co	44450B06Q/Co	H 450 mm (coffee table frame)
Art. 44450B06/Si	44450B06Q/Si	H 720 mm (seat table frame)
Art. 44450B06/St	44450B06Q/St	H 1,080 mm (high table frame)

6.5 Steel, untreated for self-coating or painting

1 round tube Ø 60 mm	1 square tube W 60 x D 60 mm	
Art. 44450R/Co	44450RQ/Co	H 450 mm (coffee table frame)
Art. 44450R/Si	44450RQ/Si	H 720 mm (seat table frame)
Art. 44450R/St	44450RQ/St	H 1,080 mm (high table frame)

COLUMN FRAMES | with square base plate

7 Model 44550, single-column, for table tops W 800 x D 800 mm

Steel screw-on plate, coated W 300 x D 300 mm, round or square upright tube, cover plate W 550 x D 550 mm, coated steel weight plate W 540 x D 540 mm, with 4 black PVC height adjusters Ø 40 mm. Assembly material included.

7.1 Stainless steel, satin-matt, precision ground

1 round tube Ø 80 mm

Art. 44550E/Co

Art. 44550E/Si

Art. 44550E/St

1 square tube W 80 x D 80 mm

44550EQ/Co

44550EQ/Si

44550EQ/St

H 450 mm (coffee table frame)

H 720 mm (seat table frame)

H 1,080 mm (high table frame)

7.2 Steel, chrome-plated (high-gloss)

1 round tube Ø 80 mm

Art. 44550C/Co

Art. 44550C/Si

Art. 44550C/St

1 square tube W 80 x D 80 mm

44550CQ/Co

44550CQ/Si

44550CQ/St

H 450 mm (coffee table frame)

H 720 mm (seat table frame)

H 1,080 mm (high table frame)

7.3 Steel, powder-coated to RAL 9005 standard (black), smooth matt

1 round tube Ø 80 mm

Art. 44550B05/Co

Art. 44550B05/Si

Art. 44550B05/St

1 square tube W 80 x D 80 mm

44550B05Q/Co

44550B05Q/Si

44550B05Q/St

H 450 mm (coffee table frame)

H 720 mm (seat table frame)

H 1,080 mm (high table frame)

7.4 Steel, powder-coated to RAL 9006 standard (white aluminium), smooth matt

1 round tube Ø 80 mm

Art. 44550B06/Co

Art. 44550B06/Si

Art. 44550B06/St

1 square tube W 80 x D 80 mm

44550B06/Co

44550B06Q/Si

44550B06Q/St

H 450 mm (coffee table frame)

H 720 mm (seat table frame)

H 1,080 mm (high table frame)

7.5 Steel, untreated for self-coating or painting

1 round tube Ø 80 mm

Art. 44550R/Co

Art. 44550R/Si

Art. 44550R/St

1 square tube W 80 x D 80 mm

44550RQ/Co

44550RQ/Si

44550RQ/St

H 450 mm (coffee table frame)

H 720 mm (seat table frame)

H 1,080 mm (high table frame)

7



7.1



7.3

8 Model 44650, single-column, for table tops W 1,000 x D 1,000 mm

Steel screw-on plate, coated W, 400 x D 400 mm, round or square upright tube, cover plate W 650 x D 650 mm, coated steel weight plate W 640 x D 640 mm, with 4 black PVC height adjusters Ø 40 mm. Assembly material included.

8.1	Stainless steel, satin-matt, precision ground		
	1 round tube Ø 100 mm	1 square tube W 100 x D 100 mm	
	Art. 44650E/Co	44650EQ/Co	H 450 mm (coffee table frame)
	Art. 44650E/Si	44650EQ/Si	H 720 mm (seat table frame)
	Art. 44650E/St	44650EQ/St	H 1,080 mm (high table frame)
8.2	Steel, chrome-plated (high-gloss)		
	1 round tube Ø 100 mm	1 square tube W 100 x D 100 mm	
	Art. 44650C/Co	44650CQ/Co	H 450 mm (coffee table frame)
	Art. 44650C/Si	44650CQ/Si	H 720 mm (seat table frame)
	Art. 44650C/St	44650CQ/St	H 1,080 mm (high table frame)
8.3	Steel, powder-coated to RAL 9005 standard (black), smooth matt		
	1 round tube Ø 100 mm	1 square tube W 100 x D 100 mm	
	Art. 44650B05/Co	44650B05Q/Co	H 450 mm (coffee table frame)
	Art. 44650B05/Si	44650B05Q/Si	H 720 mm (seat table frame)
	Art. 44650B05/St	44650B05Q/St	H 1,080 mm (high table frame)
8.4	Steel, powder-coated to RAL 9006 standard (white aluminium), smooth matt		
	1 round tube Ø 100 mm	1 square tube W 100 x D 100 mm	
	Art. 44650B06/Co	44650B06Q/Co	H 450 mm (coffee table frame)
	Art. 44650B06/Si	44650B06Q/Si	H 720 mm (seat table frame)
	Art. 44650B06/St	44650B06Q/St	H 1,080 mm (high table frame)
8.5	Steel, untreated for self-coating or painting		
	1 round tube Ø 100 mm	1 square tube W 100 x D 100 mm	
	Art. 44650R/Co	44650RQ/Co	H 450 mm (coffee table frame)
	Art. 44650R/Si	44650RQ/Si	H 720 mm (seat table frame)
	Art. 44650R/St	44650RQ/St	H 1,080 mm (high table frame)



9 Model 44750/21, single-column, for table tops W 1,200 x D 800 mm

Steel screw-on plate, coated, W, 600 x D 300 mm, round or square upright tube, cover plate W 750 x D 500 mm, coated steel weight plate W 740 x D 490 mm, with 4 black PVC height adjusters Ø 40 mm. Assembly material included.

9.1 Stainless steel, satin-matt, precision ground

1 round tube Ø 100 mm

Art. 44750/21/E/Co

Art. 44750/21/E/Si

Art. 44750/21/E/St

1 square tube W 100 x D 100 mm

44750/21Q/E/Co

44750/21Q/E/Si

44750/21Q/E/St

H 450 mm (coffee table frame)

H 720 mm (seat table frame)

H 1,080 mm (high table frame)

9.2 Steel, chrome-plated (high-gloss)

1 round tube Ø 100 mm

Art. 44750/21/C/Co

Art. 44750/21/C/Si

Art. 44750/21/C/St

1 square tube W 100 x D 100 mm

44750/21Q/C/Co

44750/21Q/C/Si

44750/21Q/C/St

H 450 mm (coffee table frame)

H 720 mm (seat table frame)

H 1,080 mm (high table frame)

9.3 Steel, powder-coated to RAL 9005 standard (black), smooth matt

1 round tube Ø 100 mm

Art. 44750/21/B05/Co

Art. 44750/21/B05/Si

Art. 44750/21/B05/St

1 square tube W 100 x D 100 mm

44750/21Q/B05/Co

44750/21Q/B05/Si

44750/21Q/B05/St

H 450 mm (coffee table frame)

H 720 mm (seat table frame)

H 1,080 mm (high table frame)

9.4 Steel, powder-coated to RAL 9006 standard (white aluminium), smooth matt

1 round tube Ø 100 mm

Art. 44750/21/B06/Co

Art. 44750/21/B06/Si

Art. 44750/21/B06/St

1 square tube W 100 x D 100 mm

44750/21Q/B06/Co

44750/21Q/B06/Si

44750/21Q/B06/St

H 450 mm (coffee table frame)

H 720 mm (seat table frame)

H 1,080 mm (high table frame)

9.5 Steel, untreated for self-coating or painting

1 round tube Ø 100 mm

Art. 44750/21/R/Co

Art. 44750/21/R/Si

Art. 44750/21/R/St

1 square tube W 100 x D 100 mm

44750/21Q/R/Co

44750/21Q/R/Si

44750/21Q/R/St

H 450 mm (coffee table frame)

H 720 mm (seat table frame)

H 1,080 mm (high table frame)

9.1




9.3



10 Model 44750, two-column, for table tops W 1,400 x D 800 mm

Steel screw-on plate, coated, W 600 x D 300 mm, 2 round or square upright tubes, cover plate W 750 x D 500 mm, coated steel weight plate W 740 x D 490 mm, with 4 black PVC height adjusters Ø 40 mm. Assembly material included.

10.1	Stainless steel, satin-matt, precision ground		
	2 round tubes Ø 80 mm	2 square tubes W 80 x D 80 mm	
	Art. 44750E/Co	44750EQ/Co	H 450 mm (coffee table frame)
	Art. 44750E/Si	44750EQ/Si	H 720 mm (seat table frame)
	Art. 44750E/St	44750EQ/St	H 1,080 mm (high table frame)
10.2	Steel, chrome-plated (high-gloss)		
	2 round tubes Ø 80 mm	2 square tubes W 80 x D 80 mm	
	Art. 44750C/Co	44750CQ/Co	H 450 mm (coffee table frame)
	Art. 44750C/Si	44750CQ/Si	H 720 mm (seat table frame)
	Art. 44750C/St	44750CQ/St	H 1,080 mm (high table frame)
10.3	Steel, powder-coated to RAL 9005 standard (black), smooth matt		
	2 round tubes Ø 80 mm	2 square tubes W 80 x D 80 mm	
	Art. 44750B05/Co	44750B05Q/Co	H 450 mm (coffee table frame)
	Art. 44750B05/Si	44750B05Q/Si	H 720 mm (seat table frame)
	Art. 44750B05/St	44750B05Q/St	H 1,080 mm (high table frame)
10.4	Steel, powder-coated to RAL 9006 standard (white aluminium), smooth matt		
	2 round tubes Ø 80 mm	2 square tubes W 80 x D 80 mm	
	Art. 44750B06/Co	44750B06Q/Co	H 450 mm (coffee table frame)
	Art. 44750B06/Si	44750B06Q/Si	H 720 mm (seat table frame)
	Art. 44750B06/St	44750B06Q/St	H 1,080 mm (high table frame)
10.5	Steel, untreated for self-coating or painting		
	2 round tubes Ø 80 mm	2 square tubes W 80 x D 80 mm	
	Art. 44750R/Co	44750RQ/Co	H 450 mm (coffee table frame)
	Art. 44750R/Si	44750RQ/Si	H 720 mm (seat table frame)
	Art. 44750R/St	44750RQ/St	H 1,080 mm (high table frame)



COLUMN FRAMES | with square base plate



11 Model 44450/HV with gas strut, single-column, for table tops W 700 x D 700 mm

Table top weight max. 30 kg! Height-adjustable table frame with gas strut and square cover plate with 10 mm corner radii. Steel screw-on plate, coated, W 400 x D 400 mm, round or square upright tube, cover plate W 450 x D 450 mm, coated steel weight plate W 440 x D 440 mm, with 4 black PVC height adjusters Ø 40 mm, surface load 30 kg. Assembly material included, delivered assembled.

11.1	Stainless steel, satin-matt, precision ground		
	1 round tube Ø 80 / 90 mm	1 square tube W 80 x D 80 / 90 x 90 mm	
	Art. 44450/HVE/Co-Si	44450/QHVE/Co-Si	H 470 – 690 mm (from coffee to seat table height)
	Art. 44450/HVE/Si-St	44450/QHVE/Si-St	H 680 – 1,110 mm (from seat to high table height)
11.2	Steel, chrome-plated (high-gloss)		
	1 round tube Ø 80 / 90 mm	1 square tube W 80 x D 80 / 90 x 90 mm	
	Art. 44450/HVC/Co-Si	44450/QHVC/Co-Si	H 470 – 690 mm (from coffee to seat table height)
	Art. 44450/HVC/Si-St	44450/QHVC/Si-St	H 680 – 1,110 mm (from seat to high table height)
11.3	Steel, powder-coated to RAL 9005 standard (black), smooth matt		
	1 round tube Ø 80 / 90 mm	1 square tube W 80 x D 80 / 90 x 90 mm	
	Art. 44450/HVB05/Co-Si	44450/QHVB05/Co-Si	H 470 – 690 mm (from coffee to seat table height)
	Art. 44450/HVB05/Si-St	44450/QHVB05/Si-St	H 680 – 1,110 mm (from seat to high table height)
11.4	Steel, powder-coated to RAL 9006 standard (white aluminium), smooth matt		
	1 round tube Ø 80 / 90 mm	1 square tube W 80 x D 80 / 90 x 90 mm	
	Art. 44450/HVB06/Co-Si	44450/QHVB06/Co-Si	H 470 – 690 mm (from coffee to seat table height)
	Art. 44450/HVB06/Si-St	44450/QHVB06/Si-St	H 680 – 1,110 mm (from seat to high table height)

12 Model 44550/HV with gas strut, single-column, for table tops W 800 x D 800 mm

Table top weight max. 30 kg! Height-adjustable table frame with gas strut and square cover plate with 10 mm corner radii. Steel screw-on plate, coated, W 400 x D 400 mm, round or square upright tube, cover plate W 550 x D 550 mm, coated steel weight plate W 540 x D 540 mm, with 4 black PVC height adjusters Ø 40 mm, surface load 30 kg. Assembly material included, delivered assembled.

12.1 Stainless steel, satin-matt, precision ground

1 round tube Ø 80 / 90 mm

Art. 44550/HVE/Co-Si

Art. 44550/HVE/Si-St

1 square tube W 80 x D 80 / 90 x 90 mm

44550/QHVE/Co-Si

44550/QHVE/Si-St

H 470 – 690 mm (from coffee to seat table height)

H 680 – 1,110 mm (from seat to high table height)

12.2 Steel, chrome-plated (high-gloss)

1 round tube Ø 80 / 90 mm

Art. 44550/HVC/Co-Si

Art. 44550/HVC/Si-St

1 square tube W 80 x D 80 / 90 x 90 mm

44550/QHVC/Co-Si

44550/QHVC/Si-St

H 470 – 690 mm (from coffee to seat table height)

H 680 – 1,110 mm (from seat to high table height)

12.3 Steel, powder-coated to RAL 9005 standard (black), smooth matt

1 round tube Ø 80 / 90 mm

Art. 44550/HVB05/Co-Si

Art. 44550/HVB05/Si-St

1 square tube W 80 x D 80 / 90 x 90 mm

44550/QHVB05/Co-Si

44550/QHVB05/Si-St

H 470 – 690 mm (from coffee to seat table height)

H 680 – 1,110 mm (from seat to high table height)

12.4 Steel, powder-coated to RAL 9006 standard (white aluminium), smooth matt

1 round tube Ø 80 / 90 mm

Art. 44550/HVB06/Co-Si

Art. 44550/HVB06/Si-St

1 square tube W 80 x D 80 / 90 x 90 mm

44550/QHVB06/Co-Si

44550/QHVB06/Si-St

H 470 – 690 mm (from coffee to seat table height)

H 680 – 1,110 mm (from seat to high table height)

13 Model 44650/HV with gas strut, single-column, for table tops W 1,000 x D 1,000 mm

Table top weight max. 30 kg! Height-adjustable table frame with gas strut and square cover plate with 10 mm corner radii. Steel screw-on plate, coated, W 400 x D 400 mm, round or square upright tube, cover plate W 650 x D 650 mm, coated steel weight plate W 640 x D 640 mm, with 4 black PVC height adjusters Ø 40 mm, surface load 30 kg. Assembly material included, delivered assembled.

13.1 Stainless steel, satin-matt, precision ground

1 round tube Ø 80 / 90 mm

Art. 44650/HVE/Co-Si

Art. 44650/HVE/Si-St

1 square tube W 90 x D 90 / 100 x 100 mm

44650/QHVE/Co-Si

44650/QHVE/Si-St

H 470 – 690 mm (from coffee to seat table height)

H 680 – 1,110 mm (from seat to high table height)

13.2 Steel, chrome-plated (high-gloss)

1 round tube Ø 80 / 90 mm

Art. 44650/HVC/Co-Si

Art. 44650/HVC/Si-St

1 square tube W 90 x D 90 / 100 x 100 mm

44650/QHVC/Co-Si

44650/QHVC/Si-St

H 470 – 690 mm (from coffee to seat table height)

H 680 – 1,110 mm (from seat to high table height)

13.3 Steel, powder-coated to RAL 9005 standard (black), smooth matt

1 round tube Ø 80 / 90 mm

Art. 44650/HVB05/Co-Si

Art. 44650/HVB05/Si-St

1 square tube W 90 x D 90 / 100 x 100 mm

44650/QHVB05/Co-Si

44650/QHVB05/Si-St

H 470 – 690 mm (from coffee to seat table height)

H 680 – 1,110 mm (from seat to high table height)

13.4 Steel, powder-coated to RAL 9006 standard (white aluminium), smooth matt

1 round tube Ø 80 / 90 mm

Art. 44650/HVB06/Co-Si

Art. 44650/HVB06/Si-St

1 square tube W 90 x D 90 / 100 x 100 mm

44650/QHVB06/Co-Si

44650/QHVB06/Si-St

H 470 – 690 mm (from coffee to seat table height)

H 680 – 1,110 mm (from seat to high table height)



1 Model 95501, single-column, for table tops W 1,400 x D 800 mm

Table frame with extra large, oval-shaped cover plate. Steel screw-on plate, coated Ø 740 x D 400 mm, round upright tube Ø 120 mm, cover plate Ø 950 x D 500 mm, coated steel weight plate W 490 x D 490 mm. Assembly material included.

1.1 Stainless steel, satin-matt, precision ground

Art. 95501E/Co	H 450 mm (coffee table frame)
Art. 95501E/Si	H 720 mm (seat table frame)
Art. 95501E/St	H 1,080 mm (high table frame)

1.2 Steel, chrome-plated (high-gloss)

Art. 95501C/Co	H 450 mm (coffee table frame)
Art. 95501C/Si	H 720 mm (seat table frame)
Art. 95501C/St	H 1,080 mm (high table frame)

1.3 Steel, powder-coated to RAL 9005 standard (black), smooth matt

Art. 95501B05/Co	H 450 mm (coffee table frame)
Art. 95501B05/Si	H 720 mm (seat table frame)
Art. 95501B05/St	H 1,080 mm (high table frame)

1.4 Steel, powder-coated to RAL 9006 standard (white aluminium), smooth matt

Art. 95501B06/Co	H 450 mm (coffee table frame)
Art. 95501B06/Si	H 720 mm (seat table frame)
Art. 95501B06/St	H 1,080 mm (high table frame)

1.5 Steel, untreated for self-coating or painting

Art. 95501R/Co	H 450 mm (coffee table frame)
Art. 95501R/Si	H 720 mm (seat table frame)
Art. 95501R/St	H 1,080 mm (high table frame)

2 Model 95501/HV with gas strut, single-column, for table tops W 1,300 x D 800 mm

Height-adjustable table frame with gas struts and oval cover plate. Adjustment range 680–1,110 mm, steel screw-on plate, coated W 400 x D 400 mm, round upright tube Ø 80/90 mm, cover plate W 950 x D 500 mm, including coated steel weight plate, surface load 30 kg. Delivered assembled.

2.1 Stainless steel, satin-matt, precision ground

Art. 95501/HVE H 680 – 1,100 mm (from seat to high table height)

2.2 Steel, chrome-plated (high-gloss)

Art. 95501/HVC H 680 – 1,100 mm (from seat to high table height)

2.3 Steel, powder-coated to RAL 9005 standard (black), smooth matt

Art. 95501/HVB05 H 680 – 1,100 mm (from seat to high table height)

2.4 Steel, powder-coated to RAL 9006 standard (white aluminium), smooth matt

Art. 95501/HVB06 H 680 – 1,100 mm (from seat to high table height)



3 Model 95502, two-column, for table tops W 1,750 x D 800 mm

Table frame with extra large, oval-shaped cover plate. Steel screw-on plate, coated, Ø 740 x D 400 mm, 2 round upright tubes Ø 100 mm, cover plate Ø 950 x D 500 mm, coated steel weight plate Ø 940 x D 490 mm, with 6 black PVC height adjusters Ø 40 mm. Assembly material included.

3.1 Stainless steel, satin-matt, precision ground

Art. 95502E/Co	H 450 mm (coffee table frame)
Art. 95502E/Si	H 720 mm (seat table frame)
Art. 95502E/St	H 1,080 mm (high table frame)

3.2 Steel, chrome-plated (high-gloss)

Art. 95502C/Co	H 450 mm (coffee table frame)
Art. 95502C/Si	H 720 mm (seat table frame)
Art. 95502C/St	H 1,080 mm (high table frame)

3.3 Steel, powder-coated to RAL 9005 standard (black), smooth matt

Art. 95502B05/Co	H 450 mm (coffee table frame)
Art. 95502B05/Si	H 720 mm (seat table frame)
Art. 95502B05/St	H 1,080 mm (high table frame)

3.4 Steel, powder-coated to RAL 9006 standard (white aluminium), smooth matt

Art. 95502B06/Co	H 450 mm (coffee table frame)
Art. 95502B06/Si	H 720 mm (seat table frame)
Art. 95502B06/St	H 1,080 mm (high table frame)

3.5 Steel, untreated for self-coating or painting

Art. 95502R/Co	H 450 mm (coffee table frame)
Art. 95502R/Si	H 720 mm (seat table frame)
Art. 95502R/St	H 1,080 mm (high table frame)



1. *Journal of Management Studies*, 1997, 34, 1, 1-15.



Eco frames

The new robust high table frames do not require cover plates and have a decorative and hard-wearing coating. Height-adjustable furniture feet under the table base ensure a secure stand – also on uneven floors. The new table series also allows for almost any shape of base plate and can be supplied with both round and square columns.

1 Model Eco round, single-column, for table tops up to Ø 800 mm

Table frame without cover plate. Steel screw-on plate, smooth coated, W 250 x D 250 x H 5 mm, round upright tube Ø 60 mm, coated steel weight plate Ø 490 mm, with 5 black PVC height adjusters Ø 40 mm. Assembly material included.

1.1 Steel, powder-coated to RAL standard 9005 (black), fine texture, round upright tube Ø 60 mm, weight plate Ø 490 mm

Art. 490/B05FS/Co	H 450 mm (coffee table frame)
Art. 490/B05FS/Si	H 720 mm (seat table frame)
Art. 490/B05FS/St	H 1,080 mm (high table frame)

1.2 Steel, powder-coated to RAL standard 9005 (black), fine texture, round upright tube Ø 80 mm, weight plate Ø 590 mm

Art. 590/B05FS/Co	H 450 mm (coffee table frame)
Art. 590/B05FS/Si	H 720 mm (seat table frame)
Art. 590/B05FS/St	H 1,080 mm (high table frame)


1.1



Supplied without table top

1.2





2 Model Eco round, single-column, for table tops up to 700 x 700 mm

Table frame without cover plate. Steel screw-on plate, coated, W 250 x D 250 x H 5 mm, round upright tube Ø 60 mm, or square W 60 x D 60 mm, coated steel weight plate W 400 x D 400 mm, with 4 black PVC height adjusters Ø 40 mm. Assembly material included.

Steel, powder-coated to RAL standard 9005 (black), fine texture, round upright tube

Art. 44400/B05FS/Co H 450 mm (coffee table frame)

Art. 44400/B05FS/Si H 720 mm (seat table frame)

Art. 44400/B05FS/St H 1,080 mm (high table frame)

Steel, powder-coated to RAL standard 9005 (black), fine texture, square upright tube

44400/B05QFS/
Art. Co H 450 mm (coffee table frame)

Art. 44400/B05QFS/Si H 720 mm (seat table frame)

Art. 44400/B05QFS/St H 1,080 mm (high table frame)

Connect model

Stay connected! The new high table frames are prepared for the installation of retractable socket strips with integrated cable outlet in the base plate. The elegant yet functional stainless steel table frames are particularly suitable for trade fairs, conferences and meeting rooms.

3 Connect model 49500, single-column, for table tops up to Ø 1,000 mm

Table frame with smooth cover plate Ø 600 mm. Steel screw-on plate, coated, W 300 x D 300 x H 5 mm, round upright tube Ø 140 mm, coated steel weight plate Ø 585 mm, with 5 black PVC height adjusters Ø 40 mm. Suitable for built-in sockets up to Ø 110 mm, concealed cable routing through opening at the bottom Ø 60 mm. Assembly material included.

Stainless steel, satin-matt, precision ground

Art. 6000E/Si/S01 H 720 mm (seat table frame)

Art. 6000E/St/S01 H 1,080 mm (high table frame)



ACCESSORIES FOR COLUMN FRAMES

The accessories for our column frames optimally complement the functional features of the support structures. Foot plates provide a secure stand, protect sensitive floor coverings and ensure even weight distribution. The well thought-out details enable adaptable use in a wide variety of environments and areas of application.




The right finish
for every base plate –
cylindrical grinding
for round tubes
and longitudinal grinding
for square tubes.



FINISHES

All foot plates are available in
the following finishes:

- Stainless steel, satin-finish polished
- Steel, chrome-plated (high-gloss)
- Steel, powder-coated in RAL9005/RAL9006
smooth matt
- Steel, untreated for self-coating or painting
 - Other colours available on request



1 Cover plate – round

1.1 Stainless steel, satin-matt, precision ground

Art. 9800000100	Ø 410 mm	LS 42, cylindrical grinding
Art. 9800000101	Ø 510 mm	LS 42, cylindrical grinding
Art. 9800000102	Ø 600 mm	LS 42, cylindrical grinding
Art. 9800000103	Ø 700 mm	LS 42, cylindrical grinding
Art. 9800000104	Ø 950 mm	LK 85, cylindrical grinding, single column

1.2 Steel, chrome-plated (high-gloss)

Art. 9800000066	Ø 410 mm	LS 42
Art. 9800000067	Ø 510 mm	LS 42
Art. 9800000068	Ø 600 mm	LS 42
Art. 9800000069	Ø 700 mm	LS 42
Art. 9800000070	Ø 950 mm	LK 85 single column

1.3 Steel, powder-coated to RAL 9005 standard (black), smooth matt

Art. 9800000652	Ø 410 mm	LS 42
Art. 9800000654	Ø 510 mm	LS 42
Art. 9800000655	Ø 600 mm	LS 42
Art. 9800000656	Ø 700 mm	LS 42

1.4 Steel, powder-coated to RAL 9006 standard (white aluminium), smooth matt

Art. 9800000133	Ø 510 mm	LS 42
Art. 9800000134	Ø 600 mm	LS 42
Art. 9800000135	Ø 700 mm	LS 42
Art. 9800000136	Ø 950 mm	LK 85 single column

1.5 Steel, untreated for self-coating or painting

Art. 9820000073	Ø 410 mm	LS 42
Art. 9810000076	Ø 510 mm	LS 42
Art. 9810000078	Ø 600 mm	LS 42
Art. 9810000079	Ø 700 mm	LS 42
Art. 9810000080	Ø 950 mm	LK 85

2 Square cover plate

2.1 Stainless steel, satin-matt, precision ground

Art. 9800000686	450 x 450 mm	LS 42, longitudinal grinding
Art. 9800000106	450 x 450 mm	LS 42, cylindrical grinding
Art. 9800000685	550 x 550 mm	LS 42, longitudinal grinding
Art. 9800000107	550 x 550 mm	LS 42, cylindrical grinding
Art. 9800000684	650 x 650 mm	LS 42, longitudinal grinding
Art. 9800000108	650 x 650 mm	LS 42, cylindrical grinding
Art. 9800000111	950 x 950 mm	LK 85

2.2 Steel, chrome-plated (high-gloss)


Art. 9800000071	450 x 450 mm	LS 42
Art. 9800000072	550 x 550 mm	LS 42
Art. 9800000073	650 x 650 mm	LS 42
Art. 9800000076	950 x 950 mm	LK 85

2.3 Steel, powder-coated to RAL 9005 standard (black), smooth matt

Art. 9800000661	450 x 450 mm	LS 42
Art. 9800000662	550 x 550 mm	LS 42
Art. 9800000663	650 x 650 mm	LS 42
Art. 9800000665	950 x 950 mm	LK 85

2.4 Steel, powder-coated to RAL 9006 standard (white aluminium), smooth matt

Art. 9800000142	450 x 450 mm	LS 42
Art. 9800000143	550 x 550 mm	LS 42
Art. 9800000144	650 x 650 mm	LS 42
Art. 9800000148	950 x 950 mm	LK 85



2.5 Steel, untreated for self-coating or painting

Art. 9810000082	450 x 450 mm	LS42
Art. 9810000083	550 x 550 mm	LS42
Art. 9810000084	650 x 650 mm	LS42
Art. 9810000088	950 x 950 mm	LK 85



Is a weight plate also required?

To use the cover plate, a weight plate is required as a base. The cover plate itself consists of a folded sheet with moulded corners, which is screwed onto the weight plate as a protective and decorative 'bonnet'.

3 Cover plate – rectangular

3.1 Stainless steel, satin-matt, precision ground

Art. 9800000109	750 x 500 mm	Single-column
Art. 9800000637	750 x 500 mm	Two-column
Art. 9800000110	950 x 600 mm	Two-column
Art. 9800000161	950 x 600 mm	Two-column, made of 1 mm thick sheet metal

3.2 Steel, chrome-plated (high-gloss)

Art. 9800000078	750 x 500 mm	LS 42 single-column
Art. 9800000626	750 x 500 mm	Two-column
Art. 9800001030	950 x 600 mm	Two-column, made of 1 mm thick sheet metal

3.3 Steel, powder-coated to RAL 9005 standard (black), smooth matt


Art. 9800000751	750 x 500 mm	LS 42 single-column
Art. 9800000680	750 x 500 mm	LS 42, two-column
Art. 9800000664	950 x 600 mm	LA 550 mm, two-column

3.4 Steel, powder-coated to RAL 9006 standard (white aluminium), smooth matt

Art. 9800000145	750 x 500 mm	LS 42 single-column
Art. 9800000679	750 x 500 mm	LS 42, two-column
Art. 9800000146	950 x 600 mm	Two-column

3.5 Steel, untreated for self-coating or painting

Art. 9800001139	750 x 500 mm	LS 42 single-column
Art. 9810000085	750 x 500 mm	LA 460 mm with LS 42, two-column
Art. 9810000087	950 x 600 mm	LA 550 mm, two-column perforated



4 Weight plate – angular

4.1 Square

Art. 9800000017	440 x 440 x 8 mm	LS 42, RAL 9005 (black), smooth matt
Art. 9800000019	540 x 540 x 8 mm	Universal, RAL 9005 (black), smooth matt
Art. 9800000021	640 x 640 x 8 mm	Universal, RAL 9005 (black), smooth matt
Art. 9800000026	940 x 940 x 12 mm	LK 85, RAL 9005 (black), smooth matt

4.2 Rectangular

Art. 9800000023	740 x 440 x 8 mm	LK 460, single- and two-column, RAL 9005 (black), smooth matt
Art. 9800000025	940 x 590 x 8 mm	Two- and four-column, RAL 9005 (black), smooth matt



5 Weight plate – round

Art. 9800000001	Ø 285 x 8 mm	RAL 9005 (black), smooth matt
Art. 9800000004	Ø 385 x 10 mm	LS 42 + LS 50, RAL 9005 (black), smooth matt
Art. 9800000008	Ø 490 x 8 mm	Universal, RAL 9005 (black), smooth matt
Art. 9800000010	Ø 585 x 8 mm	Universal, RAL 9005 (black), smooth matt
Art. 9800000011	Ø 675 x 8 mm	Universal, RAL 9005 (black), smooth matt
Art. 9800000013	Ø 940 x 8 mm	LK 85, centred Ø 60 mm, RAL 9005 (black), smooth matt



Explanation of key terms

LS – refers to the spacing between the outer holes

LA – refers to hole spacings in hole patterns, that deviate from the three-hole pattern

LK – describes the arrangement of holes and their distance from the centre of the hub

DESK FRAMES

Our desk frames are the perfect choice for ergonomic working environments. With their sturdy construction and modern, functional designs, they provide the ideal basis for office desks that fulfil both practical demands and aesthetic requirements. They are flexible in use and ideal for professional applications in offices and workspaces.





Racks can also
be integrated in **corner**
arrangements.










FINISHES

All desk frames are available in
the following finishes:

- Stainless steel, satin-finish polished
- Steel, chrome-plated (high-gloss)
- Steel, powder-coated in RAL9005/RAL9006
smooth matt
- Steel, untreated for self-coating or painting
- Other colours available on request

Which desk frame do I need?

Finish	 Stainless steel – satin-matt, precision ground	 Steel, chrome-plated (high-gloss)	 RAL Steel, powder-coated to RAL 9005/9006 smooth matt	 Steel, untreated for self-coating or painting
Table top size*	 up to 1,600 x 1,000 mm		 1,800 – 2,500 x 1,000 mm	
Column shape*				
Column arrangement*				
Frame structure*	 – without reinforcing frame –		 – with reinforcing frame –	
High table frame without table top (electric drive)*	  720 mm		  650 – 1,130 mm	

* Exemplary illustration. Please specify the weight, material and dimensions of the table top when making enquiries and placing orders.



1 Model 700120/HV, electrically height-adjustable

Suitable for tabletop sizes from W 1,400 x D 700 mm to W 2,000 x D 1,000 mm, support frame with longitudinal and cross struts welded from 40 x 20 mm flat-edged tube, with 2 side runners W 120 x D 700 mm, round or square upright tubes, coated steel weight plate, W 690 x D 110 x H 15 mm, electrical height adjustment from 650 – 1,130 mm, including switch with memory function and display, with 4 adjustable black PVC height adjusters, 2 internal lifting columns each 700 N, adjustment speed approx. 35 mm/sec., drive volume approx. 45 dB, max. static and dynamic load 140 kg.

1.1 Stainless steel, satin-matt, precision ground

Round tubes Ø 80 / 90 mm

Art. 700120/HV-E

Square tubes W 90 x D 90 / 100 x 100 mm

700120/QHV-E

1.2 Steel, chrome-plated (high-gloss)

Round tubes Ø 80 / 90 mm

Art. 700120/HV-C

Square tubes W 90 x D 90 / 100 x 100 mm

700120/QHV-C

1.3 Steel, powder-coated to RAL 9005 standard (black), smooth matt

Round tubes Ø 80 / 90 mm

Art. 700120/HV-B05

Square tubes W 90 x D 90 / 100 x 100 mm

700120/QHV-B05

1.4 Steel, powder-coated to RAL 9006 standard (white aluminium), smooth matt

Round tubes Ø 80 / 90 mm

Art. 700120/HV-B06

Square tubes W 90 x D 90 / 100 x 100 mm

700120/QHV-B06

2



2 Model 700200/HV, electrically height-adjustable, support frame adjustable

Support frame infinitely adjustable W 1,165 – 1,960 mm, square upright tube with 3-stage lifting columns 50 x 50/60 x 60/70 x 70 mm, with 2 side runners W 80 x D 750 x H 30 mm, coated steel weight plate W 690 x D 110 x H 15 mm, including button for electrical height adjustment from 675 – 1,175 mm, with 4 adjustable black PVC height adjusters, 2 lifting columns with 785 N each, adjustment speed approx. 38 mm/sec., drive volume approx. 39 dB, static and dynamic load capacity max. 160 kg. The frame is shipped in the smallest packaging size.

Suitable for table top sizes from W 1,200 x D 800 mm to W 2,000 x D 800 mm

Art. 700200/HV Steel, powder-coated to RAL 9005 standard (black)

3 Model 7012/1M

Side table frame with T-shaped screw-on plate. Steel screw-on plate, coated, W 400 x D 400 x H 120 mm, round upright tube Ø 100 mm, cover plate W 700 x D 120 mm including runner, assembly material included.

3.1 Stainless steel, satin-matt, precision ground

Art. 7012/1ME-Si H 720 mm (seat table frame)

3.2 Steel, chrome-plated (high-gloss)

Art. 7012/1MC-Si H 720 mm (seat table frame)

3.3 Steel, powder-coated to RAL 9005 standard (black), smooth matt

Art. 7012/1MB05-Si H 720 mm (seat table frame)

3.4 Steel, powder-coated to RAL 9006 standard (white aluminium), smooth matt

Art. 7012/1MB06-Si H 720 mm (seat table frame)

3.5 Steel, untreated for self-coating or painting

Art. 7012/1MR-Si H 720 mm (seat table frame)


3



Discover a world full of innovation and inspiration on our **website!**



www.rocholz.de



Our website and our online shop are perfectly coordinated to provide an exceptional user experience.

Discover seamless shopping, inspiring content, the packing table configurator, our 360° showroom and virtual trade fair stands. You can also count on an excellent customer service and interesting products, all from a single source!

Visit us online at www.rocholz.de 

ADVANTAGES AT A GLANCE

- ✓ All about our new products & innovations
- ✓ Virtual 360° tour
- ✓ Packing table configurator
- ✓ Latest information & expert knowledge
- ✓ Reference projects
- ✓ Individual solutions
- ✓ Dates
- ✓ Downloads



VIRTUAL 360° TOUR

Immerse yourself in the exhibition in our virtual showroom from the comfort of your own home. Experience the diversity of our product portfolio up close in an exciting virtual environment.



Visit showroom

FRAME RACKS

Our frame racks are characterised by their particularly stable construction, which guarantees reliable performance even under high loads. With their robust design, they provide an excellent basis for professional applications. They are ideal for use in offices, workshops and other demanding environments where stability and durability are required.



All frame racks
are available in
**any size and
combination.**






FINISHES

All frame racks are available in the following finishes:

- Stainless steel, satin-finish polished
- Steel, chrome-plated (high-gloss)
- Steel, powder-coated in RAL9005/RAL9006 smooth matt
- Steel, untreated for self-coating or painting
- Other colours available on request

Which frame rack do I need?

Finish	 Stainless steel – satin-matt, precision ground	 Steel, chrome-plated (high-gloss)	 RAL Steel, powder-coated to RAL 9005 or 9006	 Steel, untreated for self-coating or painting
Column shape	 			
Table frame height without table top*	    450 mm  720 mm  1,080 mm			
Delivery	 Welded (standard)		 Screwed together (disassembled), price on request	

* Exemplary illustration. Please specify the weight, material and dimensions of the table top when making enquiries and placing orders. We recommend an overhang of at least 10 mm all round. Customised production on request.

Screwed
frame racks
on p. 86



1 Frame rack 9067, round upright tube Ø 40 mm

Screw-on top racks made of rectangular tube 40 x 20 mm, 4 round upright tubes Ø 40 mm, black PVC height adjusters. Supplied welded.

W 1,600 x D 800 x H 720 mm

Art. 9067E/Si	Stainless steel, satin-matt, precision ground
Art. 9067C/Si	Steel, chrome-plated (high-gloss)
Art. 9067B05/Si	Steel, powder-coated to RAL 9005 standard (black)
Art. 9067B06/Si	Steel, powder-coated to RAL 9006 standard (white aluminium)
Art. 9067R/Si	Steel, untreated for self-coating or painting



2 Frame rack 9068, round upright tube Ø 60 mm

Screw-on top racks made of rectangular tube 50 x 20 mm, 4 round upright tubes Ø 60 mm, black PVC height adjusters. Supplied welded.

W 1,600 x D 800 x H 720 mm

Art. 9068E/Si	Stainless steel, satin-matt, precision ground
Art. 9068C/Si	Steel, chrome-plated (high-gloss)
Art. 9068B05/Si	Steel, powder-coated to RAL 9005 standard (black)
Art. 9068B06/Si	Steel, powder-coated to RAL 9006 standard (white aluminium)
Art. 9068R/Si	Steel, untreated for self-coating or painting

3 Frame rack 9069, round upright tube Ø 80 mm

Screw-on top racks made of rectangular tube 60 x 20 mm, 4 round upright tubes Ø 80 mm, black PVC height adjusters. Supplied welded.

W 1,600 x D 800 x H 720 mm

Art. 9069E/Si	Stainless steel, satin-matt, precision ground
Art. 9069C/Si	Steel, chrome-plated (high-gloss)
Art. 9069B05/Si	Steel, powder-coated to RAL 9005 standard (black)
Art. 9069B06/Si	Steel, powder-coated to RAL 9006 standard (white aluminium)
Art. 9069R/Si	Steel, untreated for self-coating or painting

1 - 4



1 Frame rack 9965/25, square upright tube 25 x 25 mm

Screw-on top racks made of rectangular tube 25 x 25 mm, 4 square upright tubes 25 x 25 mm, black PVC height adjusters. Supplied welded.

W 1,600 x D 800 x H 720 mm

Art. 9965/25E	Stainless steel, satin-matt, precision ground
Art. 9965/25C	Steel, chrome-plated (high-gloss)
Art. 9965/25B05	Steel, powder-coated to RAL 9005 standard (black)
Art. 9965/25B06	Steel, powder-coated to RAL 9006 standard (white aluminium)
Art. 9965/25R	Steel, untreated for self-coating or painting

2 Frame rack 9965/30, square upright tube 30 x 30 mm

Screw-on top racks made of rectangular tube 30 x 20 mm, 4 square upright tubes 30 x 30 mm, black PVC height adjusters. Supplied welded.

W 1,600 x D 800 x H 720 mm

Art. 9965/30E	Stainless steel, satin-matt, precision ground
Art. 9965/30C	Steel, chrome-plated (high-gloss)
Art. 9965/30B05	Steel, powder-coated to RAL 9005 standard (black)
Art. 9965/30B06	Steel, powder-coated to RAL 9006 standard (white aluminium)
Art. 9965/30R	Steel, untreated for self-coating or painting

3 Frame rack 9965/40, square upright tube 40 x 40 mm

Screw-on top racks made of rectangular tube 40 x 20 mm, 4 square upright tubes 40 x 40 mm, black PVC height adjusters. Supplied welded.

W 1,600 x D 800 x H 720 mm

Art. 9965/40E	Stainless steel, satin-matt, precision ground
Art. 9965/40C	Steel, chrome-plated (high-gloss)
Art. 9965/40B05	Steel, powder-coated to RAL 9005 standard (black)
Art. 9965/40B06	Steel, powder-coated to RAL 9006 standard (white aluminium)
Art. 9965/40R	Steel, untreated for self-coating or painting

4 Frame rack 9965/50, square upright tube 50 x 50 mm

Screw-on top racks made of rectangular tube 50 x 20 mm, 4 square upright tubes 50 x 50 mm, black PVC height adjusters. Supplied welded.

W 1,600 x D 800 x H 720 mm

Art. 9965/50E	Stainless steel, satin-matt, precision ground
Art. 9965/50C	Steel, chrome-plated (high-gloss)
Art. 9965/50B05	Steel, powder-coated to RAL 9005 standard (black)
Art. 9965/50B06	Steel, powder-coated to RAL 9006 standard (white aluminium)
Art. 9965/50R	Steel, untreated for self-coating or painting





Frame racks with screw connection

The frame racks are now available in a version that can be dismantled without any impairment to the usual durability. This significantly reduces transport costs and simplifies assembly at the customer's premises.

1 Frame rack 9965/40, square upright tube 40 x 20 mm, dismantlable

For table tops W 1,600 x D 800 mm. Screw-on top racks made of rectangular tube 40 x 20 mm, 4 square upright tubes 40 x 40 mm, black PVC height adjusters, with tabletop fastening to the corner connectors. Assembly material included delivered assembled.

W 1,580 x D 780 x H 720 mm

Art. 9965/40E/Z	Stainless steel, satin-matt, precision ground
Art. 9965/40C/Z	Steel, chrome-plated (high-gloss)
Art. 9965/40B05/Z	Steel, powder-coated to RAL 9005 standard (black)

100



GTCS ROCHOLZ GmbH

I. Validity

The following terms and conditions of sale shall apply to all contracts, deliveries and other services unless they are amended or excluded with our express consent. Our contractual partner's terms and conditions shall not become binding even if we do not expressly object to them.

II. Offer and conclusion

1. Offers made by us are always subject to confirmation. Conclusions of contracts and other agreements with us shall only become binding upon our written confirmation or upon our delivery.
2. Our employees are not authorised to make verbal subsidiary agreements to contractual agreements or to give assurances which go beyond the written contracts. The effectiveness of such agreements is in any case dependent on our written confirmation.

III. Technical specifications, tools and drawings

1. Illustrations, weights and dimensions are non-binding. We reserve the right to make design changes. Details and information on the suitability and application of our products are non-binding and do not release the purchaser from his own tests and trials, which must be carried out in every case.
2. Drawings and other documents relating to the products supplied or offered by us remain our property. They may only be used for the contractually intended purpose without special consent. The passing on and disclosure to third parties as well as the use by the contractual partner beyond the contractual purpose requires our written consent. In the event of an infringement, a contractual penalty of 10,000 EUR shall be forfeited. The drawings and other documents are to be returned at our request.
3. Tools, auxiliary tools and apparatus for the manufacture of the goods shall remain our property even if costs have been charged to the customer for them. After the expiry of the first two years after manufacture or acquisition, we shall only retain these items free of charge for further orders if at least 80 % of the annual purchase quantity on which the item bid is based is achieved each year.

IV. Prices and payments

1. Unless otherwise agreed, the following terms of delivery shall apply:
Domestic
 - The minimum order value is 250 EUR net. If the value of the goods is less than this, an additional flat-rate handling fee of 25 EUR shall be charged.
 - Deliveries within Germany are free of charge.
 - The prices do not include the statutory value-added tax.
 - Spare parts are invoiced at net prices.**Export**
 - The minimum order value is 1,500 EUR net. If the value of the goods is less than this, an additional flat-rate handling fee of 50 EUR plus freight will be charged.
 - Deliveries will be made EXW from 1,500 EUR net.
 - Spare parts are invoiced at net prices.

The agreed prices correspond to the cost situation at the time of conclusion of the contract. Should the costs for materials, wages or other price-forming factors increase or decrease until delivery, we reserve the right to invoice the order at our prices valid on the day of delivery. For goods for which we have issued price lists, the price list valid at the time of delivery shall apply.

2. We insure all goods against loss and damage and charge a premium of 1 per mille of the net order value. We shall only waive the conclusion of insurance if expressly instructed to do so.
3. We do not accept bills of exchange as a matter of principle, so

that we are not obliged to return bills of exchange sent to us.

4. In the absence of a special agreement, the following payment terms shall apply
 - a) In the case of machines and electrical cutting equipment, 1/3 down payment when the order is placed, 1/3 payment on delivery and 1/3 payment of the balance net cash 30 days after the invoice date.
 - b) For pressed, stamped and drawn parts as well as apparatus and packaging equipment, net cash in advance.
 - c) In the case of tools and devices, immediately after receipt of the outturn samples, net without deduction.
5. In the event of payment terms being exceeded and in the event of default, we shall be entitled to charge interest at the rate of our current account interest rate, but at least 5 % above the respective ECB discount rate.
6. Offsetting with any counterclaims disputed by us is not permitted unless these have been legally established. The assertion of a right of retention against our claims shall be excluded, unless complaints about defects in the delivered goods are raised from the same contractual relationship.

The right of retention may only be claimed to the amount of the costs of rectifying the defect.

Creditworthiness

If, after acceptance of the order, justified doubts arise as to the solvency or creditworthiness of the customer, we shall be entitled to demand either cash payment or advance payment or to withdraw from the contract and demand reimbursement of our expenses from the customer. A delivery of goods shall only be made upon settlement of the overdue open items.

VI. Dispatch and transfer of risk

Subject to deviating agreements, the route and means of dispatch shall be left to our choice. Dispatch shall be at the expense and risk of the customer. If dispatch is delayed at the request or fault of the customer, the goods shall be stored at the expense and risk of the customer. In this case, notification of readiness for dispatch is equivalent to dispatch.

VII. Packaging

- Packaging in cartons is included in the price.
- Packaging in boxes, crates, containers or on one-way pallets shall be charged separately.
- Packaging will not be taken back.
- Box pallets are returnable containers and must be returned in the same number and quality.

VIII. Delivery periods, delay and impossibility of delivery

1. Delivery periods and delivery dates shall only be deemed to be fixed if we expressly confirm the delivery period as a fixed date in writing. Otherwise, delivery dates are always only non-binding time specifications which we endeavour to meet and are always understood as the date on which the goods leave our works.
2. The delivery periods shall be reasonably extended – also within a delay – in the event of force majeure and in the event of unforeseen obstacles occurring after conclusion of the contract, insofar as these obstacles have an influence on the delivery of the item sold. This also applies if these circumstances occur at our suppliers or their suppliers. In particular, strikes or lockouts shall also be deemed to be an impediment.
3. The delivery periods shall be extended by the period in which the customer is in default with his contractual obligations – within an

ongoing business relationship also from other contracts.

4. Orders on call are only accepted with acceptance periods. If acceptance does not take place within the agreed period, we shall be free to deliver completed deliveries without further notice or to store them at the expense of the customer or to withdraw from our delivery obligation in whole or in part with notice or to demand compensation from the customer for non-performance.
5. In the event of delayed delivery, our customer may withdraw from the contract or assert other claims if a reasonable period of grace has been set beforehand with the indication of which rights are to be asserted after expiry of the deadline.
6. If we are responsible for delay or impossibility of delivery, any claim for damages to which the customer is entitled shall be limited to the damage foreseeable at the time of conclusion of the contract, but not more than 10% of the value of that part of the total delivery which cannot be used on time or in accordance with the contract as a result of the delay or non-delivery. This limitation shall not apply if the contract is not related to a commercial activity of our customer and if we are liable in cases of intent or gross negligence. The right of the customer to withdraw from the contract after the fruitless expiry of a grace period granted to us with reference to the exercise of the right of withdrawal remains unaffected.

IX. Retention of title

Until the fulfilment of all claims to which we are entitled against the customer now or in the future, we shall be granted the following securities, which we shall release at our discretion on request, insofar as their value exceeds our claims by more than 20% on a sustained basis. Delivered goods remain our property. Processing or transformation shall always be carried out for us as manufacturer, but without any obligation on our part. If the goods delivered by us are processed with other items not belonging to us, we shall acquire co-ownership of the new item in the ratio of the invoice value of the goods delivered by us to the invoice value of the other goods used at the time of processing.

If our goods are combined or inseparably mixed with other movable items to form a single item, and if the other item is to be regarded as the main item, it shall be deemed agreed that the customer transfers co-ownership to us on a pro rata basis insofar as the main item belongs to him. Items to which we are entitled to ownership or co-ownership are hereinafter referred to as reserved goods. Subject to our revocation, the buyer is entitled to sell the reserved goods in the ordinary course of business and to combine or mix them with the goods of others. The buyer hereby assigns to us any claims arising from the sale, combination or mixing or any other legal reason with regard to the goods subject to retention of title; if such claims are included in current invoices, this assignment shall also include all balance claims. In the event of access by third parties to the reserved goods, the buyer shall point out our ownership and notify us immediately. In the event of any breach of contract by the buyer – in particular default of payment – we shall be entitled to take back the goods subject to retention of title at the buyer's expense or, if applicable, to demand assignment of the buyer's claims for return against third parties. Our taking back or seizure of the goods subject to retention of title does not constitute a withdrawal from the contract, unless the law on instalment payments applies.

Excess and shortfall in performance, warranty and damages

1. In the case of series orders, in particular of pressed, stamped and drawn parts, we reserve the right to over- or under-deliver by up to 10%.
2. We are only liable for defects as follows: The buyer shall inspect

the received goods immediately upon arrival for defects and warranted characteristics. Obvious defects are to be notified to us immediately in writing, hidden defects within five working days.

In the event of justified complaints, we shall, at our discretion, rectify the defective goods, make a replacement delivery or issue a credit note. The buyer shall grant us the time and opportunity reasonably required to remedy the defect; otherwise the warranty shall lapse.

If we do not provide a warranty by rectification, replacement delivery or credit note within a reasonable period of grace granted to us, the buyer shall be entitled to demand rescission of the contract or reduction of the purchase price. Warranty claims for defects shall become statute-barred 12 months after delivery. The warranty period for repairs is 3 months, for replacement deliveries and replacement services 6 months. It shall run at least until the expiry of the original warranty period for the delivery item. Claims for damages by the buyer arising from culpa in contrahendo, breach of ancillary contractual obligations and tort are excluded, unless the claims are based on intent or gross negligence. This exclusion of liability also applies to consequential damages. Claims for damages shall become statute-barred 12 months after receipt of the goods by the buyer.

XI. Taking back goods

In the event that we take back goods by offsetting them against purchase price claims, we shall issue a credit note. In the case of goods in saleable condition, 20% of the purchase price, but at least 25 EUR, will be deducted for our expenses. In the case of damaged goods and older deliveries, we shall issue a credit note to the amount of the resale proceeds estimated by us at our reasonable discretion, deducting our above reimbursement of expenses. Custom-made products are excluded from return.

XII. Final provisions

1. Place of performance for deliveries and payments is Velbert. The local court of Velbert or the regional court of Wuppertal is agreed as the place of jurisdiction, insofar as the customer is a registered trader, a legal entity under public law or a special fund under public law.
2. The relations between the parties shall be governed exclusively by the law applicable in the Federal Republic of Germany to the exclusion of the Hague Convention on Contracts for the International Sale of Goods.
3. Should any clause of these terms and conditions of sale be invalid, this shall not affect the validity of the remaining contractual clauses.

IMPRINT



Rocholz GmbH assumes no liability for the topicality, correctness or completeness of the contents and information.

We reserve the right to change dimensions, weights or colours, or to alter the designs. This catalogue is protected by copyright. Reproduction – including in part – is only permitted with the express authorisation of the publisher.

Illustrations partially show accessories and decorative materials which are not supplied. Please refer to the product description for the actual scope of delivery. Subject to price and technical changes. We accept no liability for printing errors.

Liability claims against Rocholz GmbH relating to material or immaterial damage caused by the use or non-use of the information provided or by incorrect or incomplete information are fundamentally excluded.

Illustrative material used in this catalogue:

P. 4 & 15 // Flower shop - istockphoto.com - Prostock-Studio (843234446)

P. 8 // Woman in a flower shop - istockphoto.com - YinYang (109725294)

P. 10 // Fern - istockphoto.com - oversnap (474203668)

P. 24 & 36 // Counter - istockphoto.com - nazar_ab (893459380)

P. 25 // Wrapping a gift - istockphoto.com - shironosov (1132764902)

P. 31 // Shop - istockphoto.com - adisa (178162901)

P. 31 // Florist - istockphoto.com - Youngoldman (1213320554)

P. 38 // Trees - istockphoto.com - guenterguni (143917249)

Commercial Register | Wuppertal Local Court, HRB 17337

Management | Dipl.-Ing. Marc Rocholz, Dipl.-Betriebsw. Ralph Roth

VAT no. | DE 330641855



ROCHOLZ
SYSTEMATIC SOLUTIONS



Rocholz GmbH · Nevigeser Str. 240 – 242 · 42553 Velbert · Germany



Tel. +49 2053 819-0



Mail info@rocholz.de



Mon – Thu 8:30 am – 5:00 pm
Fri 8:30 am – 2:00 pm