



ROCHOLZ
HR-PACKTISCHE

WORKSTATION SYSTEMS AT A GLANCE



Selection guide

	BASIC	SYSTEM 1200/1600	SYSTEM 2000	SYSTEM FLEX	SYSTEM FLEX LIGHT	MODUL 5000
Flexibility is important to us, it should be easy to adapt the table to accommodate future processes.	●●●●	●●●●	●●●●	●●●●	●●●●	●●●●
Ergonomics at the workplace are a key issue for us.	●●●●	●●●●	●●●●	●●●●	●●●●	●●●●
The design and look of the table are crucial aspects for us.	●●●●	●●●●	●●●●	●●●●	●●●●	●●●●
We attach great value to an extensive range of accessories with numerous shelves, PC solutions, etc.	●●●●	●●●●	●●●●	●●●●	●●●●	●●●●
Our packing tables are used for shift work or several people share them at any one time.	●●●●	●●●●	●●●●	●●●●	●●●●	●●●●
Our requirements are extremely complex. In some areas we will definitely require custom solutions.	●●●●	●●●●	●●●●	●●●●	●●●●	●●●●
A packing table that just offers the main functions is all we need. The solution must be inexpensive.	●●●●	●●●●	●●●●	●●●●	●●●●	●●●●
We want to make a quick decision. Do you have complete, pre-configured packing tables?	●●●●	●●●●	●●●●	●●●●	●●●●	●●●●

Comparison chart

	BASIC	SYSTEM 1200/1600	SYSTEM 2000	SYSTEM FLEX	SYSTEM FLEX LIGHT	MODUL 5000
Table width 1200		●		●		
Table width 1600	●	●		●	●	
Table width 2000	●		●	●		●
Table depth	800	800	920	800	800	880
Uprights for accessories, straight	●	●	●	●	●	
Uprights for ergonomically inclined				●		●
Variably positionable uprights				●		
Variably angled accessories				●	●	
Adjustable height		●	●	●		●
Height adjustment by crank		●	●			●
Height adjustment by motor		●	●	●	●	●
IGR certification „Ergonomic Product“				●		
Ergonomic accessories		●	●	●	●	●
Extensive range of accessories		●	●	●	●	●
Simple conversion/adaptation				●	●	
Special construction		●	●	●		●

SYSTEM BASIC

SYSTEM BASIC offers essential features at an attractive price.

Inexpensive entry-level system

- W x D x H – 1.600 / 2.000 x 800 x 850 mm
- fixed height
- modular build
- standard components
- range of accessories limited to the essentials

Advantages

- proven Rocholz quality at a low price
- short amortisation period



SYSTEM 1600

SYSTEM 1600 offers two complete packing stations

Systematic

W x D x H – 1.600 / 800 x 690 - 960 mm
height-adjustable

Use

space-saving solution
standard requirements
minimal advisory effort
fast delivery time

SYSTEM FLEX

SYSTEM FLEX is perfect for everyone who wants limitless flexibility and quickly adaptable ergonomics.

Summary of special features

- sturdy and highly flexible concept due to Rocholz profile tubes
- grid perforation in Rocholz mounting profiles allows fast attachment of shelves, roll holders, etc.
- The top section of the Rocholz mounting profiles can be mounted upright or inclined by 20°. This improves the reach position to the shelves and accessories significantly.
- Because the mounting profiles are separated from the table's feet, add-on components can be moved horizontally and positioned at will on the frame.
- extensive range of accessories



Easily expand your equipment with our **range of accessories.**



SYSTEM FLEX Light

SYSTEM FLEX Light allows you to use the advantages of the pro-version at the price of an entry-level system.

Basic table set

- W x D x H - 1.650 / 800 x 720 - 1220 mm
- electric height adjustment
- includes three Rocholz mounting profiles
- includes two perforated back panels
- extensive range of accessories

Advantages

- proven Rocholz quality at a low price
- high performance and cost-effective

ACCESSORIES PACKAGES

Three different theme packages are now available for our SYSTEM FLEX and SYSTEM FLEX Light packing tables as a simple option! Ideal for your web shop and for your catalogue, these three packages offer standard requirements for the following areas: basic equipment, ergonomics and IT.

All three theme packages can also be combined to obtain a fully equipped packing table that leaves nothing to be desired. Our theme packages guarantee less effort while consulting customers, and are quick and easy to order.

BASIC EQUIPMENT^①

- three shelves (W 800 x D 300 mm)
- eight shelf dividers
- Utensilo
- holder for adhesive tape dispenser

ERGONOMICS PACKAGE^②

- workplace lighting (W 976 mm)
- bottle holder
- ergonomic workplace mat

IT PACKAGE^③

- monitor holder (reach 505 mm, max. load 15 kg)
- mouse and keyboard tray
- connection cable and cable clamps
- 4-way socket

Easily expand your equipment with our **range of accessories.**



PROTECTABLE

Protectable is our SYSTEM FLEX add-on for integrating an automatic air cushion machine into your logistics workplace.

Advantages

- ✓ efficient and ergonomic
- ✓ suitable for all standard air cushion machines
- ✓ electric lift for easy roll material changes
- ✓ storage silo for the finished air cushions
- ✓ this system makes for simple and safe packaging processes

SYSTEM 2000

The roller track table in SYSTEM 2000

- with work surface as packing table
- optional: integrated scale
- without work surface as a transport/buffer table

General information

- three widths are available as standard
- height-adjustable
- extensive range of accessories
- custom design possible



MODUL 5000



Thanks to the intelligent build, MODUL 5000 can be adapted to the worker and their work in just a few fast steps.

Maximalistic

- W x D x H – 2.000 x 1.040 x 1.330 mm
- can be adjusted using a crank mechanism or via electric motor for maximum convenience
- internationally recognised (iF Design Award)
- extraordinary and ergonomic design

Advantages

- easily adapts to people and surroundings
- modular build

ASSISTANCE SYSTEMS



Now also as **Box** available.



A maintenance service can be booked for all assistance systems. We look forward to talking to you about your individual requirements. Together, we will find the best solution for you!



DOCUMENTABLE

- ✓ Entire documentation of images without broad IT-knowledge
- ✓ Distinct classification of stored data
- ✓ Transmission via LAN into your own server structure, connection to your own ERP system possible
- ✓ All-on-one solution without follow-up costs

INSPECTABLE

- ✓ Zero-fault-production due to optical monitoring
- ✓ Flexible system that only needs to be pre-trained once for a particular application
- ✓ Representation of different conditions and indicators for hit probability
- ✓ Self-learning system that develops continuously with each task

ASSISTABLE

- ✓ Economical added-value service
- ✓ Self-determined work in spite of product individualisation and large variety
- ✓ Server-based system that can be operated location-independently
- ✓ Automatic generation of economic indicators via digitalisation

Discover also
our **dispensers**.

**Request
catalogue
now!**



CUTTING SYSTEMS

Better results with Rocholz cutting systems.

Application

roll material such as paper, corrugated cardboard and film
cutting systems with dispensers
free-standing or directly at the packing station

Fast change

The cutter cartridges can be changed without effort.
We supply two cutter cartridges as standard!

PACKING TABLE WITH LIFTING UNIT

Practical lifting unit integrated directly into the packing station.

General information

- W x D x H – 1.600 / 2.000 x 800 x 690-960 mm
- height manually adjustable
- max. load capacity 100 kg
- incl. foldable table extension W 410 x D 800 mm
- platform of lifting unit W 800 x D 695 mm
- lifting unit speed 55 mm/sec, lifting height 350 mm
- integrated crush protection

Advantage

- ergonomic work support



LIFT TABLES & TABLE LIFTS

Load-bearing boost for logistics – these practical helpers take on the load of heavy parcels and lift and lower them without effort.

1. Packing and order picking trolley

Height adjustment with gas pressure cylinder.

2. Mobile electric lift table

Incl. height adjustment via electric motor
Battery pack, mobile with 4 swivel castors.

3. Stationary electric lift table

Height adjustment via electric motor
with three working height memory positions.

4. Pneumatic lift table

Stainless steel platform W x D 450 x 600 mm
incl. foot switch, stroke 500 mm resp. 700 mm.

5. Pneumatic lift table for bolting to floor

Like pneumatic lift table, table prepared for
fixed bolting to floor.

6. Pneumatic lift table

Allows effortless lifting and lowering of
heavy cartons 250 mm stroke.



ELECTRIC TABLE LIFT



Reliable lifting and lowering.

General information


- W x D x H – 450 x 860 x 960 mm
- max. load capacity 50 kg
- moving speed empty 64 mm/sec, with max. load 45 mm/sec
- stainless steel platform W 450 x D 600 mm

Advantages

- ergonomic and fast thanks to foot switch
- no compressed air connection required

HEAVY DUTY

Our new highlight that will inspire you HEAVILY!
We have made our SYSTEM FLEX mounting profiles even stronger.



RETRACTING SHELF

You can easily accommodate printers, air cushion machines or other „heavy equipment“ with the matching retracting shelves for the double mounting profiles. With these, you can also access your equipment ergonomically, e.g. when you need to change a material roll.



MOUNTING PROFILE

The double SYSTEM FLEX mounting profiles can carry even more weight, and nothing will make them waver. Naturally, you can still attach your SYSTEM FLEX accessories to the mounting profiles, and adjust them quickly and easily.

REINFORCEMENT STRUT

An additional support is available for SYSTEM FLEX shelves, turning the standard shelves into a heavy-duty version. The reinforcement strut is attached to the mounting profile and to the carrier arm of the shelf.

We reserve the right to change dimensions, weights or colours, or to alter the designs. This catalogue is protected by copyright. Reproduction - even of extracts - is permissible only with the written consent of the publisher.


Illustrations partially show accessories and decorative materials which are not supplied. Please refer to the product description for the actual scope of delivery.

Illustrative material used in this catalogue:


Cover & Page 11 & 17 / istockphoto.com – RonFullHD; Page 5 & 14 / freepik.com – rawpixel.com




ROCHOLZ
HR-PACKTISCHE

 **Rocholz GmbH** · Nevigeser Str. 240 - 242 · 42553 Velbert · Germany

 **Fon** +49 2053 819-0

 **Mail** info@rocholz.de

 **Web** www.rocholz.de